

EXHIBIT

G

Reliance materials

1. Abbot, S., Evani, J. M., et al. (2013). Evaluation and management of complications from synthetic mesh after pelvic reconstructive surgery: A multi-center study. AUGS Paper 29.
2. Abdel-fattah, M., Mostafa, A., Young, D. & Ramsay, I. Evaluation of transobturator tension-free vaginal tapes in the management of women with mixed urinary incontinence: one-year outcomes. *Am J Obstet Gynecol* 205, 150 e1-6 (2011).
3. Abdel-Fattah, M., Sivanesan, K., Ramsay, I., Pringle, S., & Bjornsson, S. (2006). How common are tape erosions? A comparison of two versions of the transobturator tension-free vaginal tape procedure. *BJU Int*, 98(3), 594-598.
4. Abdelwahab, O., Shedid, I., & Al-Adl, A. M. (2010). Tension-Free Vaginal Tape versus Secure Tension-Free Vaginal Tape in Treatment of Female Stress Urinary Incontinence. *Current Urology*, 4(2), 93-98.
5. Abed, H., Rahn, D. D., Lowenstein, L., Balk, E. M., Clemons, J. L., & Rogers, R. G. (2011). Incidence and management of graft erosion, wound granulation, and dyspareunia following vaginal prolapse repair with graft materials: a systematic review. *Int Urogynecol J*, 22(7), 789-798. doi: 10.1007/s00192-011-1384-5
6. Abouassaly, R. et al. Complications of tension-free vaginal tape surgery: a multi-institutional review. *BJU Int* 94, 110-113 (2004).
7. ACOG Practice Bulletin Pelvic Organ Prolapse Number 85, September 2007
8. Agostini, A. et al. Abscess of the thigh and psoas muscle after transobturator suburethral sling procedure. *Acta Obstet Gynecol Scand* 85, 628-9 (2006).
9. Agostini, A. et al. Immediate complications of tension-free vaginal tape (TVT): results of a French survey. *Eur J Obstet Gynecol Reprod Biol* 124, 237-9 (2006).
10. Agrawal, A. & Avill, R. Mesh migration following repair of inguinal hernia: a case report and review of literature. *Hernia* 10, 79-82 (2006).
11. Aigmueller, T. et al. Ten-year follow-up after the tension-free vaginal tape procedure. *Am J Obstet Gynecol* 205, 496 e1-5 (2011).
12. Ala-Nissila, S., Haarala, M. & Makinen, J. Tension-free vaginal tape - a suitable procedure for patients with recurrent stress urinary incontinence. *Acta Obstet Gynecol Scand* 89, 210-6 (2010).
13. Al-Badr, A. & Fouda, K. Suprapubic-assisted cystoscopic excision of intravesical tension-free vaginal tape. *J Minim Invasive Gynecol* 12, 370-1 (2005).
14. Albino, F. et al. Does mesh location matter in abdominal wall reconstruction? A systematic review of the literature and a summary of recommendations. *Plast Reconstr Surg* 132, 1295-304 (2013).
15. Albo, M. et al. Treatment Success of Retropubic and Transobturator Mid Urethral Slings at 24 Months. *J Urol* 188, 2281-7 (2012).
16. Albrecht, K. in *Technology and Society (ISTAS)*, 2010 IEEE International Symposium on 337-349 (2010).
17. Ali SAM, Doherty P J, Williams DF. The Mechanisms of Oxidative Degradation of Biomedical Polymers by Free Radicals. *J Appl Poly Sci* 1994; 51:1389-1398.
18. Al-Singary, W. et al. Trans-obturator tape for incontinence: a 3-year follow-up. *Urol Int* 78, 198-201 (2007).
19. Altman, D., Anzen, B., Morlin, B. & Falconer, C. Tension-free vaginal tape after failed cystoscopic transurethral injections for stress urinary incontinence. *Scand J Urol Nephrol* 43, 506-8 (2009).
20. Altman, D., Vayrynen, T., Engh, M. E., Axelsen, S., & Falconer, C. (2011). Anterior colporrhaphy versus transvaginal mesh for pelvic-organ prolapse. *N Engl J Med*, 364(19), 1826-1836. doi: 10.1056/NEJMoa1009521

21. Al-Wadi, K. & Al-Badr, A. Martius graft for the management of tension-free vaginal tape vaginal erosion. *Obstet Gynecol* 114, 489-91 (2009).
22. Amid, P.K., Shulman, A.G., Lichtenstein, I.L. & Hakakha, M. Biomaterials for abdominal wall hernia surgery and principles of their applications. *Langenbecks Arch Chir* 379, 168-71 (1994).
23. Ammendrup, A.C., Jorgensen, A., Sander, P., Ottesen, B. & Lose, G. A Danish national survey of women operated with mid-urethral slings in 2001. *Acta Obstet Gynecol Scand* 88, 1227-33 (2009).
24. Anderson, J. & Miller, K. Biomaterial biocompatibility and the macrophage. *Biomaterials* 5, 5-10 (1984).
25. Anderson, J. Biological Responses to Materials. *Annual Review of Materials Research* 31, 81-110 (2001).
26. Andonian, S., St-Denis, B., Lemieux, M.C. & Corcos, J. Prospective clinical trial comparing Obtape and DUPS to TVT: one-year safety and efficacy results. *Eur Urol* 52, 245-51 (2007).
27. Andrada Hamer, M., Larsson, P.G., Teleman, P., Bergqvist, C.E. & Persson, J. One-year results of a prospective randomized, evaluator-blinded, multicenter study comparing TVT and TVT Secur. *Int Urogynecol J* 24, 223-9 (2013).
28. Anger, J.T. et al. Short-term outcomes of vaginal mesh placement among female Medicare beneficiaries. *Urology* 83, 768-73 (2014).
29. Anger, J.T., Rodriguez, L.V., Wang, Q., Pashos, C.L. & Litwin, M.S. The role of preoperative testing on outcomes after sling surgery for stress urinary incontinence. *J Urol* 178, 1364-8; discussion 1368-9 (2007).
30. Angioli, R. et al. Suburethral sling in autoimmune patients: complications, quality of life, and success rate. *Int Urogynecol J* 23, 453-7 (2012).
31. Angioli, R. et al. Tension-free vaginal tape versus transobturator suburethral tape: five-year follow-up results of a prospective, randomised trial. *Eur Urol* 58, 671-7 (2010).
32. Aniulienė, R. Tension-free vaginal tape versus tension-free vaginal tape obturator (inside-outside) in the surgical treatment of female stress urinary incontinence. *Medicina (Kaunas)* 45, 639-43 (2009).
33. Ankardal, M., Heiwall, B., Lausten-Thomsen, N., Cernelid, J. & Milsom, I. Short- and long-term results of the tension-free vaginal tape procedure in the treatment of female urinary incontinence. *Acta Obstet Gynecol Scand* 85, 986-92 (2006).
34. Aponte, M.M. et al. Urodynamics for clinically suspected obstruction after anti-incontinence surgery in women. *J Urol* 190, 598-602 (2013).
35. Appell, R.A. Primary slings for everyone with genuine stress incontinence? The argument for. *Int Urogynecol J Pelvic Floor Dysfunct* 9, 249-51 (1998).
36. Araco, F. et al. Results 1 year after the Reemex system was applied for the treatment of stress urinary incontinence caused by intrinsic sphincter deficiency. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 783-6 (2008).
37. Ark, C., Gungorduk, K. & Celebi, I. Results of TOT operations alone and combined with other vaginal surgical procedures. *Aust N Z J Obstet Gynaecol* 50, 550-5 (2010).
38. Arrabal-Polo, M. et al. Complications from the Placement of a Tension-Free Suburethral Sling Using the Transobturator and Retropubic Methods for Treatment of Female Urinary Incontinence. *Urol Int* 89, 97-102 (2012).
39. Ashok, K. & Petri, E. Failures and complications in pelvic floor surgery. *World J Urol* 30, 487-94 (2012).
40. Atassi, Z., Reich, A., Rudge, A., Kreienberg, R., & Flock, F. (2008). Haemorrhage and nerve damage as complications of TVT-O procedure: case report and literature review. *Arch Gynecol Obstet*, 277(2), 161-164. doi: 10.1007/s00404-007-0424-3
41. Athanasiou, S. et al. Seven years of objective and subjective outcomes of transobturator (TVT-O) vaginal tape: why do tapes fail? *Int Urogynecol J* 25, 219-25 (2014).

42. Babalola, E.O., Famuyide, A.O., McGuire, L.J., Gebhart, J.B. & Klingele, C.J. Vaginal erosion, sinus formation, and ischiorectal abscess following transobturator tape: ObTape implantation. *Int Urogynecol J Pelvic Floor Dysfunct* 17, 418-21 (2006).
43. Ballert, K.N., Kanofsky, J.A. & Nitti, V.W. Effect of tension-free vaginal tape and TVT-obturator on lower urinary tract symptoms other than stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 335-40 (2008).
44. Ballester, M. et al. Four-year functional results of the suburethral sling procedure for stress urinary incontinence: a French prospective randomized multicentre study comparing the retropubic and transobturator routes. *World J Urol* 30, 117-22 (2012).
45. Bandarian, M., Ghanbari, Z. & Asgari, A. Comparison of transobturator tape (TOT) vs Burch method in treatment of stress urinary incontinence. *J Obstet Gynaecol* 31, 518-20 (2011).
46. Baracat, F., Mitre, A.I., Kanashiro, H. & Montellato, N.I. Endoscopic treatment of vesical and urethral perforations after tension-free vaginal tape (TVT) procedure for female stress urinary incontinence. *Clinics (Sao Paulo)* 60, 397-400 (2005).
47. Barber, M. D., Brubaker, L., Nygaard, I., Wheeler, T. L., 2nd, Schaffer, J., Chen, Z., & Spino, C. (2009). Defining success after surgery for pelvic organ prolapse. *Obstet Gynecol*, 114(3), 600-609. doi: 10.1097/AOG.0b013e3181b2b1ae
48. Barber, M.D. et al. Risk factors associated with failure 1 year after retropubic or transobturator midurethral slings. *Am J Obstet Gynecol* 199, 666 e1-7 (2008).
49. Barber, M.D. et al. Single-incision mini-sling compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. *Obstet Gynecol* 119, 328-37 (2012).
50. Barber, M.D. et al. Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. *Obstet Gynecol* 111, 611-21 (2008).
51. Barnes, N.M., Dmochowski, R.R., Park, R. & Nitti, V.W. Pubovaginal sling and pelvic prolapse repair in women with occult stress urinary incontinence: effect on postoperative emptying and voiding symptoms. *Urology* 59, 856-60 (2002).
52. Baumgartner, U., Magerl, W., Klein, T., Hopf, H.C. & Treede, R.D. Neurogenic hyperalgesia versus painful hypoalgesia: two distinct mechanisms of neuropathic pain. *Pain* 96, 141-51 (2002).
53. Beck, R.P. & Lai, A.R. Results in treating 88 cases of recurrent urinary stress incontinence with the Oxford fascia lata sling procedure. *Am J Obstet Gynecol* 142, 649-51 (1982).
54. Bekelman, J.E., Li, Y. & Gross, C.P. Scope and impact of financial conflicts of interest in biomedical research: a systematic review. *JAMA* 289, 454-65 (2003).
55. Benassi, G., Marconi, L., Accorsi, F., Angeloni, M. & Benassi, L. Abscess formation at the ischiorectal fossa 7 months after the application of a synthetic transobturator sling for stress urinary incontinence in a type II diabetic woman. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 697-9 (2007).
56. Bendavid R, Lou W, Koch A, Iakovlev V, Mesh-Related SIN Syndrome. A Surreptitious Irreversible Neuralgia and Its Morphologic Background in the Etiology of Post-Herniorrhaphy Pain, *Int J Clin Med*, vol. 5, pp. 799-810, 2014.
57. Bendavid R. Prostheses and Abdominal Wall Hernias. R.G. Landes Company 1994.
58. Bendavid, R. (1998). Complications of groin hernia surgery. *Surg Clin North Am*, 78(6), 1089-1103. doi: 10.1016/s0039-6109(05)70371-6
59. Bent, A., Ostergard, D. & Zwick-Zaffuto, M. Tissue reaction to expanded polytetrafluoroethylene suburethral sling for urinary incontinence: clinical and histologic study. *Am J Obstet Gynecol* 169, 1198-204 (1993).
60. Bertin, D., Leblanc, M., Marque, S. & Siri, D. Polypropylene degradation: Theoretical and experimental investigations. *Polymer Degradation and Stability* 95, 782-791 (2010).
61. Bianchi-Ferraro, A.M. et al. Single-incision sling compared with transobturator sling for treating stress urinary incontinence: a randomized controlled trial. *Int Urogynecol J* 24, 1459-65 (2013).

62. Biggs, G.Y., Ballert, K.N., Rosenblum, N. & Nitti, V. Patient-reported outcomes for tension-free vaginal tape-obturator in women treated with a previous anti-incontinence procedure. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 331-5 (2009).
63. Birolini, C., Minossi, J., Lima, C., Utiyama, E. & Rasslan, S. Mesh cancer: long-term mesh infection leading to squamous-cell carcinoma of the abdominal wall. *Hernia*, Apr 19. [Epub ahead of print] (2013).
64. Blais, P., Carlsson, D., Clark, F., Sturgeon, P. & Wiles, D. The Photo-Oxidation of Polypropylene Monofilaments: Part II: Physical Changes and Microstructure. *Textile Research Journal* 46, 641-64 (1976).
65. Blaivas, J. & Mekel, G. Management of Urinary Fistulas Due to Midurethral Sling Surgery. *J Urol*, [Epub ahead of print] (2014).
66. Blaivas, J. (2004). Pubovaginal fascial sling for the treatment of all types of stress urinary incontinence: surgical technique and long-term outcome. *Atlas of The Urologic Clinics*, 12(2), 165-175. doi: 10.1016/j.auc.2004.07.003
67. Blaivas, J. et al. Salvage Surgery after Failed Treatment of Synthetic Mesh Sling Complications. *J Urol* 190, 1281-6 (2013).
68. Blaivas, J.G. & Jacobs, B.Z. Pubovaginal fascial sling for the treatment of complicated stress urinary incontinence. *J Urol* 145, 1214-8 (1991).
69. Blaivas, J.G. & Purohit, R.S. Post-traumatic female urethral reconstruction. *Curr Urol Rep* 9, 397-404 (2008).
70. Blaivas, J.G. et al. Management of urethral stricture in women. *J Urol* 188, 1778-82 (2012).
71. Blanchard, K. et al. Transponder-induced sarcoma in the heterozygous p53^{+/−} mouse. *Toxicol Pathol* 27, 519-27 (1999).
72. Botros, S.M. et al. Detrusor overactivity and urge urinary incontinence following trans obturator versus midurethral slings. *Neurourol Urodyn* 26, 42-5 (2007).
73. Bringman S, Conze J, Cuccurullo D, Deprest J, Junge K, Klosterhalfen B, Parra-Davila E, Ramshaw B, Schumpelick V. Hernia repair: the search for ideal meshes. *Hernia* 2010; 14: 81-87.
74. Brito, L.M. et al. Comparison of the outcomes of the sling technique using a commercial and hand-made polypropylene sling. *Int Braz J Urol* 37, 519-27 (2011).
75. Brubaker, L., & Shull, B. (2012). A perfect storm. *Int Urogynecol J*, 23(1), 3-4. doi: 10.1007/s00192-011-1596-8
76. Brubaker, L., Norton, P. A., Albo, M. E., Chai, T. C., Dandreo, K. J., Lloyd, K. L., . . . Kusek, J. W. (2011). Adverse events over two years after retropubic or transobturator midurethral sling surgery: findings from the Trial of Midurethral Slings (TOMUS) study. *Am J Obstet Gynecol*, 205(5), 498 e491-496. doi: 10.1016/j.ajog.2011.07.011
77. Busby, G. & Broome, J. Necrotising fasciitis following unrecognised bladder injury during transobturator sling procedure. *BJOG* 114, 111-2 (2007).
78. But, I. & Pakiz, M. Irritative symptoms are the main predictor of satisfaction rate in women after transobturator tape procedures. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 791-6 (2009).
79. Canete, P., Ortiz, E., Domingo, S. & Cano, A. Transobturator suburethral tape in the treatment of stress urinary incontinence: efficacy and quality of life after 5 year follow up. *Maturitas* 74, 166-71 (2013).
80. Carey, M., Higgs, P., Goh, J., Lim, J., Leong, A., Krause, H., & Cornish, A. (2009). Vaginal repair with mesh versus colporrhaphy for prolapse: a randomised controlled trial. *BJOG*, 116(10), 1380-1386. doi: 10.1111/j.1471-0528.2009.02254.x
81. Carminato, A., Vascellari, M., Marchioro, W., Melchioti, E. & Mutinelli, F. Microchip-associated fibrosarcoma in a cat. *Vet Dermatol* 22, 565-9 (2011).
82. Carr, L.K. & Webster, G.D. Voiding dysfunction following incontinence surgery: diagnosis and treatment with retropubic or vaginal urethrolisis. *J Urol* 157, 821-3 (1997).

83. Castillo-Pino, E., Sasson, A. & Pons, J.E. Comparison of retropubic and transobturator tension-free vaginal implants for the treatment of stress urinary incontinence. *Int J Gynaecol Obstet* 110, 23-6 (2010).
84. Catts PF, Aroney M, Indyk JS. *Med J Aust*. Laparoscopic repair of inguinal hernia. 1994 Aug 15;161(4):242-5, 248.
85. Cetinel, B. & Tarcan, T. Management of complications after tension-free midurethral slings. *Korean J Urol* 54, 651-9 (2013).
86. Chae, H.D. et al. A comparative study of outside-in and inside-out transobturator tape procedures for stress urinary incontinence. *Gynecol Obstet Invest* 70, 200-5 (2010).
87. Chaikin, D.C., Rosenthal, J. & Blaivas, J.G. Pubovaginal fascial sling for all types of stress urinary incontinence: long-term analysis. *J Urol* 160, 1312-6 (1998).
88. Charalambous, S. et al. Transvaginal vs transobturator approach for synthetic sling placement in patients with stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 357-60 (2008).
89. Chen, H.Y., Ho, M., Hung, Y.C. & Huang, L.C. Analysis of risk factors associated with vaginal erosion after synthetic sling procedures for stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 117-21 (2008).
90. Chen, X. et al. A modified inexpensive transobturator vaginal tape inside-out procedure versus tension-free vaginal tape for the treatment of SUI: a prospective comparative study. *Arch Gynecol Obstet* 284, 1461-6 (2011).
91. Chen, X., Li, H., Fan, B., Yang, X. & Tong, X. An inexpensive modified transobturator vaginal tape inside-out procedure for the surgical treatment of female stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 1365-8 (2009).
92. Chene, G. et al. Long-term results of tension-free vaginal tape (TVT) for the treatment of female urinary stress incontinence. *Eur J Obstet Gynecol Reprod Biol* 134, 87-94 (2007).
93. Cheng, D. & Liu, C. Tension-free vaginal tape-obturator in the treatment of stress urinary incontinence: a prospective study with five-year follow-up. *Eur J Obstet Gynecol Reprod Biol* 161, 228-31 (2012).
94. Chiang HC, Chen PH, Chen YL, Yan MY, Chen CC, Lin J, Wang PF, Shih HJ. Inguinal hernia repair outcomes that utilized the modified Kugel patch without the optional onlay patch: a case series of 163 consecutive patients. *Hernia*. 2014 Aug 8. [Epub ahead of print]
95. Chin, Y. & Stanton, S. A follow up of silastic sling for genuine stress incontinence. *Br J Obstet Gynaecol* 102, 143-7 (1995).
96. Chmielewski, L., Walters, M. D., Weber, A. M., & Barber, M. D. (2011). Reanalysis of a randomized trial of 3 techniques of anterior colporrhaphy using clinically relevant definitions of success. *Am J Obstet Gynecol*, 205(1), 69 e61-68. doi: 10.1016/j.ajog.2011.03.027
97. Cho, M.K. et al. Comparison of the clinical and quality-of-life outcomes after the inside-out TVT-O procedure with or without concomitant transvaginal gynaecological surgery. *J Obstet Gynaecol* 32, 280-4 (2012).
98. Choe, J.M., Ogan, K. & Bennett, S. Antibacterial mesh sling: a prospective outcome analysis. *Urology* 55, 515-20 (2000).
99. Chohan, H. J., Hutchings, T. B., & Rooney, K. E. (2010). Dyspareunia associated with paraurethral banding in the transobturator sling. *Am J Obstet Gynecol*, 202(5), 481 e481-485. doi: 10.1016/j.ajog.2010.01.061
100. Chughtai, B.I. et al. Midurethral Sling Is the Dominant Procedure for Female Stress Urinary Incontinence: Analysis of Case Logs From Certifying American Urologists. *Urology* 82, 1267-1271 (2013).
101. Clark, L., Clark, R. & Heber-Katz, E. A new murine model for mammalian wound repair and regeneration. *Clin Immunol Immunopathol* 88, 35-45 (1998).

102. Clave A, Yahi H, Hammou J, Montanari S, Gounon P, Clave H. Polypropylene as a reinforcement in pelvic surgery is not inert comparative analysis of 100 explants. *Int Urogynecol J* 2010; 21: 261-270.
103. Coda, A., Bendavid, R., Botto-Micca, F., Bossotti, M., & Bona, A. (2003). Structural alterations of prosthetic meshes in humans. *Hernia: The Journal Of Hernias And Abdominal Wall Surgery*, 7(1), 29-34.
104. Collinet, P. et al. The safety of the inside-out transobturator approach for transvaginal tape (TVT-O) treatment in stress urinary incontinence: French registry data on 984 women. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 711-5 (2008).
105. Connolly, T.P. Necrotizing surgical site infection after tension-free vaginal tape. *Obstet Gynecol* 104, 1275-6 (2004).
106. Cornel, E.B. & Vervest, H.A. Removal of a missed polypropylene tape by a combined transurethral and transabdominal endoscopic approach. *Int Urogynecol J Pelvic Floor Dysfunct* 16, 247-9 (2005).
107. Cornu, J.N. et al. Midterm prospective evaluation of TVT-Secur reveals high failure rate. *Eur Urol* 58, 157-61 (2010).
108. Corona, R., De Cicco, C., Schonman, R., Verguts, J., Ussia, A., & Koninckx, P. R. (2008). Tension-free Vaginal Tapes and Pelvic Nerve Neuropathy. *J Minim Invasive Gynecol*, 15(3), 262-267. doi: 10.1016/j.jmig.2008.03.006
109. Costantini, E. et al. Preoperative Valsalva leak point pressure may not predict outcome of mid-urethral slings. Analysis from a randomized controlled trial of retropubic versus transobturator mid-urethral slings. *Int Braz J Urol* 34, 73-81; discussion 81-3 (2008).
110. Costello CR, Bachman SL, Grant SA, Cleveland DS, Loy TS, Ranshaw BJ.Characterization of Heavyweight and Lightweight Polypropylene Prosthetic Mesh Explants From a Single Patient. *Surg Innov* 2007; 14: 168-176.
111. Costello, C. R., Bachman, S. L., Ramshaw, B. J., & Grant, S. A. (2007). Materials characterization of explanted polypropylene hernia meshes. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 83B(1), 44-49. doi: 10.1002/jbm.b.30764
112. Cozad M, Grant D, Bachman SL, Grant DN, Ramshaw BJ, Grant SA. Materials characterization of explanted polypropylene, polyethylene terephthalate and expanded polytetrafluoroethylene composites: Spectral and thermal analysis. *J. Biomed Mater Res Part B: Appl Biomater* 2010; 94B(2): 455-462.
113. Culligan, P. et al. Bacterial colony counts during vaginal surgery. *Infect Dis Obstet Gynecol* 11, 161-5 (2003).
114. Culligan, P. J., Littman, P. M., Salamon, C. G., Priestley, J. L., & Shariati, A. (2010). Evaluation of a transvaginal mesh delivery system for the correction of pelvic organ prolapse: subjective and objective findings at least 1 year after surgery. *Am J Obstet Gynecol*, 203(5), 506 e501-506. doi: 10.1016/j.ajog.2010.07.020
115. Dallenbach, P., Jungo Nancoz, C., Eperon, I., Dubuisson, J. B., & Boulvain, M. (2012). Incidence and risk factors for reoperation of surgically treated pelvic organ prolapse. *Int Urogynecol J*, 23(1), 35-41. doi: 10.1007/s00192-011-1483-3
116. Daneshgari, F., Kong, W. & Swartz, M. Complications of mid urethral slings: important outcomes for future clinical trials. *J Urol* 180, 1890-7 (2008).
117. Darai, E. et al. Functional results after the suburethral sling procedure for urinary stress incontinence: a prospective randomized multicentre study comparing the retropubic and transobturator routes. *Eur Urol* 51, 795-801; discussion 801-2 (2007).
118. Dati, S., De Lellis, V., Palermo, P., & Carta, G. (2010). A comparison between synthetic and biosynthetic meshes in the surgical treatment of severe genital prolapse: Results and complications. *Urogynaecologia*; Vol 23, No 3 (2009).

119. Davila, G. W., Drutz, H., & Deprest, J. (2006). Clinical implications of the biology of grafts: conclusions of the 2005 IUGA Grafts Roundtable. *Int Urogynecol J Pelvic Floor Dysfunct*, 17 Suppl 1, S51-55. doi: 10.1007/s00192-006-0099-5
120. Davis, N.F., Smyth, L.G., Giri, S.K. & Flood, H.D. Evaluation of endoscopic laser excision of polypropylene mesh/sutures following anti-incontinence procedures. *J Urol* 188, 1828-32 (2012).
121. de Carvalho CL, Silveira AF, Rosa Ddos S A study of the controlled degradation of polypropylene containing pro-oxidant agents. *Springerplus*. 2013 Nov 20;2:623.
122. de Tayrac, R., Alves, A., & Therin, M. (2007). Collagen-coated vs noncoated low-weight polypropylene meshes in a sheep model for vaginal surgery. A pilot study. *Int Urogynecol J Pelvic Floor Dysfunct*, 18(5), 513-520. doi: 10.1007/s00192-006-0176-9
123. de Tayrac, R., Devoldere, G., Renaudie, J., Villard, P., Guilbaud, O., & Eglin, G. (2007). Prolapse repair by vaginal route using a new protected low-weight polypropylene mesh: 1-year functional and anatomical outcome in a prospective multicentre study. *Int Urogynecol J Pelvic Floor Dysfunct*, 18(3), 251-256. doi: 10.1007/s00192-006-0135-5
124. de Tayrac, R., Eglin, G., Villard, P., Devoldere, G., Renaudie, J., & Guilbaud, O. (2008). Anatomical and functional assessment of prolapse repair by vaginal route using a collagen coating polypropylene mesh. A french prospective multicentre study. 3-year results. *IUGA*.
125. DeBord, J. R. (1998). The historical development of prosthetics in hernia surgery. *Surgical Clinics of North America*, 78(6), 973-1006. doi: [http://dx.doi.org/10.1016/S0039-6109\(05\)70365-0](http://dx.doi.org/10.1016/S0039-6109(05)70365-0)
126. Deffieux, X. et al. Prepubic and thigh abscess after successive placement of two suburethral slings. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 571-4 (2007).
127. Deffieux, X. et al. Transobturator TVT-O versus retropubic TVT: results of a multicenter randomized controlled trial at 24 months follow-up. *Int Urogynecol J* 21, 1337-45 (2010).
128. Delorme, E. [Transobturator urethral suspension: mini-invasive procedure in the treatment of stress urinary incontinence in women]. *Prog Urol* 11, 1306-13 (2001).
129. Demirer, S., Kepenekci, I., Evirgen, O., Birsen, O., Tuzuner, A., Karahuseyinoglu, S., . . . Kuterdem, E. (2006). The effect of polypropylene mesh on ilioinguinal nerve in open mesh repair of groin hernia. *The Journal Of Surgical Research*, 131(2), 175-181.
130. Deng, D., Rutman, M., Raz, S. & Rodriguez, L. Presentation and Management of Major Complications of Midurethral Slings: Are Complications Under-reported? *Neurourol Urodyn* 26, 46-52 (2007).
131. Denis Bertin, Marie Leblanc, Sylvain R.A. Marque*, Didier Siri. Polypropylene degradation: Theoretical and experimental investigations. *Polymer Degradation and Stability* 95 (2010) 782-791
132. DEPO.ETH.MESH.00004755
133. Deposition of Dr. Thomas A. Barbolt (1/8/14)
134. DePrest J, Klosterhalfen B, Schreurs A, Verguts J, De Ridder D, Claerhout F. Clinicopathological Study of Patients Requiring Reinvention After Sacrocolpopexy With Xenogenic Acellular Collagen Grafts. *J of Urol* 2010; 183:2249-2255.
135. Dindo, D., Demartines, N. & Clavien, P. Classification of Surgical Complications: A New Proposal With Evaluation in a Cohort of 6336 Patients and Results of a Survey. *Ann Surg* 240, 205-213 (2004).
136. Diwadkar, G. B., Barber, M. D., Feiner, B., Maher, C., & Jelovsek, J. E. (2009). Complication and reoperation rates after apical vaginal prolapse surgical repair: a systematic review. *Obstet Gynecol*, 113(2 Pt 1), 367-373. doi: 10.1097/AOG.0b013e318195888d
137. Djehdian, L.M. et al. Transobturator sling compared with single-incision mini-sling for the treatment of stress urinary incontinence: a randomized controlled trial. *Obstet Gynecol* 123, 553-61 (2014).

138. Dmochowski, R., Scarpero, H.M. & Starkman, J.S. in Campbell-Walsh urology (eds. Wein, A.J., Kavoussi, L.R., Novick, A.C., Partin, A.W. & Peters, C.A.) 2251-2272 (Saunders, Philadelphia, 2007).
139. Dmochowski, R.R. et al. Update of AUA guideline on the surgical management of female stress urinary incontinence. *J Urol* 183, 1906-14 (2010).
140. Dobson, A. et al. Trans-obturator surgery for stress urinary incontinence: 1-year follow-up of a cohort of 52 women. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 27-32 (2007).
141. Domingo, S. et al. Transobturator tape procedure outcome: a clinical and quality of life analysis of a 1-year follow-up. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 895-900 (2007).
142. Domingo, S., Alama, P., Ruiz, N., Perales, A. & Pellicer, A. Diagnosis, management and prognosis of vaginal erosion after transobturator suburethral tape procedure using a nonwoven thermally bonded polypropylene mesh. *J Urol* 173, 1627-30 (2005).
143. Duckett, J. & Constantine, G. Complications of silicone sling insertion for stress urinary incontinence. *J Urol* 163, 1835-7 (2000).
144. Dunn R.F., S. A. Guelcher, V. Iakovlev. Failure Analysis of Transvaginal Mesh Products – a Biomaterials Perspective Using Materials Science Fundamentals. 2014 AIChE Annual Meeting: 112f
145. Dunn, G.E. et al. Changed women: the long-term impact of vaginal mesh complications. *Female Pelvic Med Reconstr Surg* 20, 131-6 (2014).
146. Dyrkorn, O.A., Kulseng-Hanssen, S. & Sandvik, L. TVT compared with TVT-O and TOT: results from the Norwegian National Incontinence Registry. *Int Urogynecol J* 21, 1321-6 (2010).
147. Eandi, J.A., Tanaka, S.T., Hellenthal, N.J., O'Connor, R.C. & Stone, A.R. Self-reported urinary continence outcomes for repeat midurethral synthetic sling placement. *Int Braz J Urol* 34, 336-42; discussion 343-4 (2008).
148. Ek, M., Tegerstedt, G., Falconer, C., Kjaeldgaard, A., Rezapour, M., Rudnicki, M., & Altman, D. (2010). Urodynamic assessment of anterior vaginal wall surgery: a randomized comparison between colporrhaphy and transvaginal mesh. *Neurourol Urodyn*, 29(4), 527-531. doi: 10.1002/nau.20811
149. Ellington, D. & Richter, H. Indications, contraindications, and complications of mesh in surgical treatment of pelvic organ prolapse. *Clin Obstet Gynecol* 56, 276-88 (2013).
150. Elliott, D. S. (2012). Con: mesh in vaginal surgery: do the risks outweigh the benefits? *Curr Opin Urol*, 22(4), 276-281. doi: 10.1097/MOU.0b013e3283545991
151. Elliott, J.E. & Maslow, K.D. Remote discovery of an asymptomatic bowel perforation by a mid-urethral sling. *Int Urogynecol J* 23, 243-5 (2012).
152. Elliott, M. & Juler, G. Comparison of Marlex mesh and microporous teflon sheets when used for hernia repair in the experimental animal. *Am J Surg* 137, 342-4 (1979).
153. Elmer, C., Blomgren, B., Falconer, C., Zhang, A. & Altman, D. Histological inflammatory response to transvaginal polypropylene mesh for pelvic reconstructive surgery. *J Urol* 181, 1189-95 (2009).
154. Errando, C., Batista, J.E. & Arano, P. Polytetrafluoroethylene sling for failure in female stress incontinence surgery. *World J Urol* 14 Suppl 1, S48-50 (1996).
155. Estevez, J.P., Cosson, M. & Boukerrou, M. An uncommon case of urethrovaginal fistula resulting from tension-free vaginal tape. *Int Urogynecol J* 21, 889-91 (2010).
156. ETH.MESH.15955438-15955473
157. ETH.MESH.11336474
158. ETH.MESH.09888187
159. ETH.MESH.13334286
160. FDA Public Health Notification: Serious complications associated with transvaginal placement of surgical mesh in repair of pelvic organ prolapse and stress urinary incontinence (2008).

161. FDA: Surgical placement of mesh to repair pelvic organ prolapse poses risks. (2011) FDA News Release.
162. Feiner, B. & Maher, C. Vaginal mesh contraction: definition, clinical presentation, and management. *Obstet Gynecol* 115, 325-30 (2010).
163. Felix EL, Harbertson N, Vartanian S. *Surg Endosc*. Laparoscopic hernioplasty: significant complications. 1999 Apr;13(4):328-31.
164. Feng, C.L., Chin, H.Y. & Wang, K.H. Transobturator vaginal tape inside out procedure for stress urinary incontinence: results of 102 patients. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 1423-7 (2008).
165. Fialkow, M.F., Lentz, G.M., Miller, E.A. & Miller, J.L. Complications from transvaginal pubovaginal slings using bone anchor fixation. *Urology* 64, 1127-32 (2004).
166. Foon, R., Tooze-Hobson, P., & Latthe, P. M. (2008). Adjuvant materials in anterior vaginal wall prolapse surgery: a systematic review of effectiveness and complications. *Int Urogynecol J Pelvic Floor Dysfunct*, 19(12), 1697-1706. doi: 10.1007/s00192-008-0668-x
167. Fornasari D. Pain mechanisms in patients with chronic pain. *Clin Drug Investig.* 2012 Feb;32 Suppl 1:45-52.
168. Fourie, T. & Cohen, P.L. Delayed bowel erosion by tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct* 14, 362-4 (2003).
169. Frederick, R.W., Carey, J.M. & Leach, G.E. Osseous complications after transvaginal bone anchor fixation in female pelvic reconstructive surgery: report from single largest prospective series and literature review. *Urology* 64, 669-74 (2004).
170. Freeman, R. et al. What patients think: patient-reported outcomes of retropubic versus trans-obturator mid-urethral slings for urodynamic stress incontinence--a multi-centre randomised controlled trial. *Int Urogynecol J* 22, 279-86 (2011).
171. Frostling, H. et al. Analytical, occupational and toxicologic aspects of the degradation products of polypropylene plastics. *Scand J Work Environ Health* 10, 163-169 (1984).
172. Frostling, H., Hoff, A., Jacobsson, S., Pfaffli, P., Vainiotalo, S., & Zitting, A. (1984). Analytical, occupational and toxicologic aspects of the degradation products of polypropylene plastics. *Scand J Work Environ Health*, 10(3), 163-169.
173. Gandhi, S., Abramov, Y., Kwon, C., Beaumont, J. L., Botros, S., Sand, P. K., & Goldberg, R. P. (2006). TVT versus SPARC: comparison of outcomes for two midurethral tape procedures. *Int Urogynecol J Pelvic Floor Dysfunct*, 17(2), 125-130. doi: 10.1007/s00192-005-1369-3
174. Garcia-Urena, M.A. et al. Differences in polypropylene shrinkage depending on mesh position in an experimental study. *Am J Surg* 193, 538-42 (2007).
175. Giberti, C., Gallo, F., Cortese, P. & Schenone, M. The suburethral tension adjustable sling (REMEEEX system) in the treatment of female urinary incontinence due to 'true' intrinsic sphincter deficiency: results after 5 years of mean follow-up. *BJU Int* 108, 1140-4 (2011).
176. Glavind, K. & Larsen, T. Long-term follow-up of intravaginal slingplasty operation for urinary stress incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 1081-3 (2008).
177. Goktolga, U. et al. Tension-free vaginal tape for surgical relief of intrinsic sphincter deficiency: results of 5-year follow-up. *J Minim Invasive Gynecol* 15, 78-81 (2008).
178. Gold, R.S., Groutz, A., Pauzner, D., Lessing, J. & Gordon, D. Bladder perforation during tension-free vaginal tape surgery: does it matter? *J Reprod Med* 52, 616-8 (2007).
179. Goldman, H. B., & Petros, P. E. (2012). Post-Implantation Alterations of Polypropylene in the Human. *J Urol*. doi: 10.1016/j.juro.2012.11.155
180. Goldman, H.B. Large thigh abscess after placement of synthetic transobturator sling. *Int Urogynecol J Pelvic Floor Dysfunct* 17, 295-6 (2006).
181. Goldman, H.B. Simple sling incision for the treatment of iatrogenic urethral obstruction. *Urology* 62, 714-8 (2003).

182. Gonzalez, R. & Ramshaw, B. Comparison of tissue integration between polyester and polypropylene prostheses in the preperitoneal space. *Am Surg* 69, 471-6; discussion 476-7 (2003).
183. Govier, F. et al. Complications of transvaginal silicone-coated polyester synthetic mesh sling. *Urology* 66, 741-5 (2005).
184. Groutz, A. et al. Ten-year subjective outcome results of the retropubic tension-free vaginal tape for treatment of stress urinary incontinence. *J Minim Invasive Gynecol* 18, 726-9 (2011).
185. Groutz, A. et al. The safety and efficacy of the inside-out trans-obturator TVT in elderly versus younger stress-incontinent women: A prospective study of 353 consecutive patients. *Neurourology and Urodynamics* 30, 380-383 (2011).
186. Groutz, A., Rosen, G., Gold, R., Lessing, J.B. & Gordon, D. Long-term outcome of transobturator tension-free vaginal tape: efficacy and risk factors for surgical failure. *J Womens Health (Larchmt)* 20, 1525-8 (2011).
187. Gruber, D.D., Wiersma, D.S., Dunn, J.S., Meldrum, K.A. & Krivak, T.C. Cecal perforation complicating placement of a transvaginal tension-free vaginal tape. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 671-3 (2007).
188. Guerrero, K.L. et al. A randomised controlled trial comparing TVT, Pelvicol and autologous fascial slings for the treatment of stress urinary incontinence in women. *BJOG* 117, 1493-502 (2010).
189. Gulino G, Antonucci M, Palermo G, Sasso F, Tienforti D, D'Addessi A, Bassi PF. Urological complications following inguinal hernioplasty. *Arch Ital Urol Androl.* 2012 Sep;84(3):105-10.
190. H. Azizi, I. Ghasemi, M. Karrabi, Controlled-peroxide degradation of polypropylene: Rheological properties and prediction of MWD from rheological data, *Polymer Testing* 27 (2008): 548–554
191. Haliloglu, B., Karateke, A., Coksuer, H., Peker, H. & Cam, C. The role of urethral hypermobility and intrinsic sphincteric deficiency on the outcome of transobturator tape procedure: a prospective study with 2-year follow-up. *Int Urogynecol J* 21, 173-8 (2010).
192. Hamouda, A., Kennedy, J., Grant, N., Nigam, A. & Karanjia, N. Mesh erosion into the urinary bladder following laparoscopic inguinal hernia repair; is this the tip of the iceberg? *Hernia* 14, 317-9 (2010).
193. Hansen, B.L., Dunn, G.E., Norton, P., Hsu, Y. & Nygaard, I. Long-term follow-up of treatment for synthetic mesh complications. *Female Pelvic Med Reconstr Surg* 20, 126-30 (2014).
194. Haylen, B. et al. An International Urogynecological Association (IUGA)/International Continence Society (ICS) Joint Terminology and Classification of the Complications Related Directly to the Insertion of Prosthesis (Meshes, Implants, Tapes) and Grafts in Female Pelvic Flo. *Neurourol Urodynam* 30, 2-12 (2011).
195. Heinonen, P., Ala-Nissila, S., Raty, R., Laurikainen, E. & Kiilholma, P. Objective cure rates and patient satisfaction after the transobturator tape procedure during 6.5-year follow-up. *J Minim Invasive Gynecol* 20, 73-8 (2013).
196. Hellberg, D., Holmgren, C., Lanner, L. & Nilsson, S. The very obese woman and the very old woman: tension-free vaginal tape for the treatment of stress urinary incontinence. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 423-9 (2007).
197. Hinoul, P., Bonnet, P., Krofta, L., Waltregny, D. & de Leval, J. An anatomic comparison of the original versus a modified inside-out transobturator procedure. *Int Urogynecol J* 22, 997-1004 (2011).
198. Hirose, T. et al. Randomized clinical trial comparing lightweight or heavyweight mesh for mesh plug repair of primary inguinal hernia. *Hernia* 18, 213-9 (2014).
199. Hodroff, M., Portis, A. & Siegel, S.W. Endoscopic removal of intravesical polypropylene sling with the holmium laser. *J Urol* 172, 1361-2 (2004).

200. Hodroff, M.A., Sutherland, S.E., Kesha, J.B. & Siegel, S.W. Treatment of stress incontinence with the SPARC sling: intraoperative and early complications of 445 patients. *Urology* 66, 760-2 (2005).
201. Holmgren, C., Nilsson, S., Lanner, L. & Hellberg, D. Frequency of de novo urgency in 463 women who had undergone the tension-free vaginal tape (TVT) procedure for genuine stress urinary incontinence--a long-term follow-up. *Eur J Obstet Gynecol Reprod Biol* 132, 121-5 (2007).
202. Hom, D., Desautel, M.G., Lumerman, J.H., Feraren, R.E. & Badlani, G.H. Pubovaginal sling using polypropylene mesh and Vesica bone anchors. *Urology* 51, 708-13 (1998).
203. Hopkins, M.P. & Rooney, C. Entero mesh vaginal fistula secondary to abdominal sacral colpopexy. *Obstet Gynecol* 103, 1035-6 (2004).
204. Hota, L.S. et al. TVT-Secur (Hammock) versus TVT-Obturator: a randomized trial of suburethral sling operative procedures. *Female Pelvic Med Reconstr Surg* 18, 41-5 (2012).
205. Hou, J.C., Alhalabi, F., Lemack, G.E. & Zimmern, P.E. Outcome of transvaginal mesh and tape removed for pain only. *J Urol* 192, 856-60 (2014).
206. Houwert, R.M., Renes-Zijl, C., Vos, M.C. & Vervest, H.A. TVT-O versus Monarc after a 2-4-year follow-up: a prospective comparative study. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 1327-33 (2009).
207. Huffaker, R.K., Yandell, P.M. & Shull, B.L. Tension-free vaginal tape bowel perforation. *Int Urogynecol J* 21, 251-3 (2010).
208. Hullfish, K. L., Bovbjerg, V. E., Gibson, J., & Steers, W. D. (2002). Patient-centered goals for pelvic floor dysfunction surgery: what is success, and is it achieved? *Am J Obstet Gynecol*, 187(1), 88-92.
209. Huwyler, M., Springer, J., Kessler, T.M. & Burkhard, F.C. A safe and simple solution for intravesical tension-free vaginal tape erosion: removal by standard transurethral resection. *BJU Int* 102, 582-5 (2008).
210. "IARC MONOGRAPHS ON THE EVALUATION OF CARCINOGENIC RISKS TO HUMANS," [Online]. Available: <http://monographs.iarc.fr/ENG/Monographs/vol74/index.php>. [Accessed 24 July 2014].
211. Iakovlev V, Guelcher S, Bendavid R. In Vivo Degradation of Surgical Polypropylene Meshes: A Finding Overlooked for Decades. *Virchows Archiv* 2014, 463(1): 35
212. Iakovlev V, Mekel G, Blaivas J. Pathological Findings of Transvaginal Polypropylene Slings explanted for Late Complications: Mesh is Not Inert. International Continence Society (ICS) annual meeting, 2014: 228.
213. Iakovlev V, S. Guelcher, R. Bendavid. In Vivo Degradation of Surgical Polypropylene Meshes: A Finding Overlooked for Decades. *Virchows Archiv* 2014, 463(1): 35
214. Iakovlev V. Explanted Surgical Meshes: What Pathologists and Industry Failed to do for 50 Years. *Virchows Archiv* 2014, 463(1): 337
215. Iakovlev V., E. Carey, J, Steege. Pathology of Explanted Transvaginal Meshes. *International Journal of Medical, Health, Pharmaceutical and Biomedical Engineering*, 2014, 8(9): 510-13.
216. Iakovlev V.V., E. T. Carey, G. Iakovleva, J. Steege, R. Bendavid. Pathological findings associated with pain in transvaginal meshes. The 20th World Congress on Controversies in Obstetrics, Gynecology & Infertility (COGI), 2014.
217. Iakovlev VV, Carey ET, Steege J. Pathology of Explanted Transvaginal Meshes. *World Academy of Science Engineering and Technology*, 2014 in press.
218. Iglesia, C. B., Sokol, A. I., Sokol, E. R., Kudish, B. I., Gutman, R. E., Peterson, J. L., & Shott, S. (2010). Vaginal mesh for prolapse: a randomized controlled trial. *Obstet Gynecol*, 116(2 Pt 1), 293-303. doi: 10.1097/AOG.0b013e3181e7d7f8
219. Ivam Damjanov, *Histopathology*, Williams and Wilkins, 1996.

220. Jacquetin, B. & Cosson, M. Complications of vaginal mesh: our experience. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 893-6 (2009).
221. Jakimiuk, A.J. et al. Surgical treatment of stress urinary incontinence using the tension-free vaginal tape-obturator system (TVT-O) technique. *Eur J Obstet Gynecol Reprod Biol* 135, 127-31 (2007).
222. Jeon, M.J. et al. Surgical therapeutic index of tension-free vaginal tape and transobturator tape for stress urinary incontinence. *Gynecol Obstet Invest* 65, 41-6 (2008).
223. Jerabek, J. et al. Evaluation of three purely polypropylene meshes of different pore sizes in an onlay position in a New Zealand white rabbit model. *Hernia*, epub ahead of print (2014).
224. Jerabek, J. et al. Evaluation of three purely polypropylene meshes of different pore sizes in an onlay position in a New Zealand white rabbit model. *Hernia*, epub ahead of print (2014).
225. Jia, X., Glazener, C., Mowatt, G., MacLennan, G., Bain, C., Fraser, C., & Burr, J. (2008). Efficacy and safety of using mesh or grafts in surgery for anterior and/or posterior vaginal wall prolapse: systematic review and meta-analysis. *BJOG*, 115(11), 1350-1361. doi: 10.1111/j.1471-0528.2008.01845.x
226. Jijon, A., Hegde, A., Arias, B., Aguilar, V. & Davila, G.W. An inelastic retropubic suburethral sling in women with intrinsic sphincter deficiency. *Int Urogynecol J* 24, 1325-30 (2013).
227. Johner, A., Faulds, J. & Wiseman, S. Planned ilioinguinal nerve excision for prevention of chronic pain after inguinal hernia repair: a meta-analysis. *Surgery* 150, 534-41 (2011).
228. Johnson, D.W., ElHajj, M., EL, O.B.-B., Miller, H.J. & Fine, P.M. Necrotizing fasciitis after tension-free vaginal tape (TVT) placement. *Int Urogynecol J Pelvic Floor Dysfunct* 14, 291-3 (2003).
229. Jongebloed, W. & Worst, J. Degradation of polypropylene in the human eye: a SEM-study. *Advances In Ophthalmology* 64, 143-152 (1986).
230. Jonsson Funk, M., Siddiqui, N.Y., Pate, V., Amundsen, C.L. & Wu, J.M. Sling revision/removal for mesh erosion and urinary retention: long-term risk and predictors. *Am J Obstet Gynecol* 208, 73 e1-7 (2013).
231. Jonsson, M., Siddiqui, N., Pate, V., Amundsen, C. & Wu, J. Sling revision/removal for mesh erosion and urinary retention: long-term risk and predictors. *Am J Obstet Gynecol* 208, 73-85 (2013).
232. Juma, S. & Brito, C.G. Transobturator tape (TOT): Two years follow-up. *Neurourol Urodyn* 26, 37-41 (2007).
233. Junge K, Klinge U, Klosterhalfen B, Mertens PR, Rosch R, Schachtrupp A, Ulmer F, Schumpelick V. Influence of Mesh Materials on Collagen Deposition in a Rat Model. *J Invest Surg* 2002; 15: 319-328.
234. Junge K, Klinge U, Rosch R, Klosterhalfen B, Schumpelick V. Functional and Morphologic Properties of a Modified Mesh for Inguinal Hernia Repair. *World J Surg* 2002; 26:1472-1480.
235. Junge K, Rosch R, Bialasinski L, Klinge U, Klosterhalfen B, Schumpelick V. Persistent Extracellular Matrix Remodeling at the Interface to Polymers Used for Hernia Repair. *Eur Surg Res* 2003; 35: 497-504.
236. Junge, K. et al. Persistent extracellular matrix remodelling at the interface to polymers used for hernia repair. *Eur Surg Res* 35, 497-504 (2003).
237. Kaelin-Gambirasio, I., Jacob, S., Boulvain, M., Dubuisson, J.B. & Dallenbach, P. Complications associated with transobturator sling procedures: analysis of 233 consecutive cases with a 27 months follow-up. *BMC Womens Health* 9, 28 (2009).
238. Kang, M.B., Kim, H.G., Paick, S.H., Lho, Y.S. & Park, H.K. Intraoperative maximal urethral closing pressure measurement: a new technique of tape tension adjustment in transobturator sling surgery? *Int Braz J Urol* 37, 751-7 (2011).

239. Kapoor, D. S., Nemcova, M., Pantazis, K., Brockman, P., Bombieri, L., & Freeman, R. M. (2010). Reoperation rate for traditional anterior vaginal repair: analysis of 207 cases with a median 4-year follow-up. *Int Urogynecol J*, 21(1), 27-31. doi: 10.1007/s00192-009-0991-x
240. Karabulut, A., Demitas, O. & Gok, S. A late complication of transobturator tape procedure: vaginocutaneous fistula formation with vaginal mesh erosion. *Int Urogynecol J* 25, 559-61 (2014).
241. Karateke, A., Haliloglu, B., Cam, C. & Sakalli, M. Comparison of TVT and TVT-O in patients with stress urinary incontinence: short-term cure rates and factors influencing the outcome. A prospective randomised study. *Aust N Z J Obstet Gynaecol* 49, 99-105 (2009).
242. Karram, M.M., Segal, J.L., Vassallo, B.J. & Kleeman, S.D. Complications and untoward effects of the tension-free vaginal tape procedure. *Obstet Gynecol* 101, 929-32 (2003).
243. Kascak, P.K., B. Fatal Injury of the Small Intestine during Retropubic Sling Placement - A Case Report. *Obstetrics and Gynaecology Cases - Reviews* 1 (2014).
244. Kavvadias, T., Kaemmer, D., Klinge, U., Kuschel, S. & Schuessler, B. Foreign body reaction in vaginally eroded and noneroded polypropylene suburethral slings in the female: a case series. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 1473-6 (2009).
245. Kawasaki, A. et al. Comparing the risk of urethrolisis for the treatment of voiding dysfunction between two retropubic mesh slings: a case-control study. *Int Urogynecol J* 24, 589-94 (2013).
246. Keisha A. Jones, Andrew Feola, Leslie Meyn, Steven D. Abramowitch, Pamela A. Moalli Tensile Properties of Commonly Used Prolapse Meshes *Int Urogynecol J Pelvic Floor Dysfunct.* 2009 July; 20(7): 847-853
247. Keys, T., Aboushwareb, T. & Badlani, G. Re: post-implantation alterations of polypropylene in the human. *J Urol* 189, 1996-2000 (2013).
248. Khan, L.R., Kumar, S. & Nixon, S.J. Early results for new lightweight mesh in laparoscopic totally extra-peritoneal inguinal hernia repair. *Hernia* 10, 303-8 (2006).
249. Kidd BL, Urban LA. Mechanisms of inflammatory pain. *Br J Anaesth.* 2001 Jul;87(1):3-11
250. Kidd, B. & Urban, L. Mechanisms of inflammatory pain. *Br J Anaesth* 87, 3-11 (2001).
251. Killingsworth, L.B. et al. One-year outcomes of tension-free vaginal tape (TVT) mid-urethral slings in overweight and obese women. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 1103-8 (2009).
252. Kim, J., Lucioni, A., Govier, F. & Kobashi, K. Worse long-term surgical outcomes in elderly patients undergoing SPARC retropubic midurethral sling placement. *BJU Int* 108, 708-12 (2011).
253. Kim, J.C. et al. A safety and quality of life analysis of intravaginal slingplasty in female stress incontinence: a prospective, open label, multicenter, and observational study. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 1331-5 (2007).
254. Kim, J.H., Doo, S.W., Yang, W.J. & Song, Y.S. Laparoscopic transvesical excision and reconstruction in the management of mid-urethral tape mesh erosion and stones around the bladder neck: initial experiences. *BJU Int* 110, E1009-13 (2012).
255. King, R. N., & Lyman, D. J. (1975). Polymers in contact with the body. *Environmental health perspectives*, 11, 71-74.
256. Klein B, Schiffer R, Hafemann B, Klosterhalfen B, Zwaldo-Klarwasser G. Inflammatory response to a porcine membrane composed of fibrous collagen and elastin as dermal substitute. *J Materials Sci: Materials 'Med* 2001; 12: 419-424.
257. Klinge U, Conze J, Klosterhalfen B, Limberg W, Obolenski B, Ottinger AP, Schumpelick V. Alteration of Abomdinal Wall Mechanics after Mesh Implantation. *Langenbecks Arch Chir* 1996; 381: 323-332.
258. Klinge U, Junge K, Spellerberg B, Piroth C, Klosterhalfen B Schumpelick V. Do Multifilament Alloplastic Meshes Increase the Infection Rate? Analysis of the Polymeric Surface,

- the Bacteria Adherence, and the In Vivo Consequences in a Rat Model. J Biomed Mater Res 2002; 63:765-771.
259. Klinge U, Junge K, Stumpf M, Ottinger AP, Klosterhalfen B. Functional and Morphological Evaluation of a Low-Weight, Monofilament Polypropylene Mesh for Hernia Repair. J Biomed Mater Res 2002; 63:129-136.
260. Klinge U, Klink CD, Klosterhalfen B. The Ideal Mesh- More than a Mosquito Net. Zentralbl Chir 2010; 135(2): 168-174.
261. Klinge U, Klosterhalfen B, Birkenhauer V, Junge K, Conze J, Schumpelick V. Impact of Polymer Pore Size on the Interface Scar Formation in a Rat Model. J Surg Res 2002; 103: 208-214.
262. Klinge U, Klosterhalfen B, Conze J, Limberg W, Obolenski B, Ottinger AP, Schumpelick V. Modified Mesh for Hernia Repair that is Adapted to the Physiology of the Abdominal Wall. Eur J Surg 1998; 164: 951-960.
263. Klinge U, Klosterhalfen B, Mueller M, Ottinger AP, Schumpelick V. Shrinking of Polypropylene Mesh in vivo: An Experimental Study in Dogs. Eur J Surg 1998; 164: 965-969.
264. Klinge U, Klosterhalfen B, Muller M, Anurov M, Ottinger A, Schumpelick V. Influence of polyglactincoating on functional and morphological parameters of polypropylene-mesh modifications for abdominal wall repair. Biomaterials 1999; 20: 613-623.
265. Klinge U, Klosterhalfen B, Muller M, Schumpelick V. Foreign Body Reaction to Meshes Used for the Repair of Abdominal Wall Hernias. Eur J Surg 1999; 165:665- 673.
266. Klinge U, Klosterhalfen B. Modified classification of surgical meshes for hernia repair based on the analyses of 1,000 explanted meshes. Hernia 20 12.
267. Klinge U, Schumpelick V, Klosterhalfen B. Functional assessment and tissue response of short- and longterm absorbable surgical meshes. Biomaterials 2001; 22: 1415-1424.
268. Klinge, U. et al. Impact of polymer pore size on the interface scar formation in a rat model. J Surg Res 103, 208-14 (2002).
269. Klinge, U., Klosterhalfen, B., Muller, M. & Schumpelick, V. Foreign Body Reaction to Meshes Used for the Repair of Abdominal Wall Hernias. Eur J Surg 165, 665- 673 (1999).
270. Klinge, U., Klosterhalfen, B., Müller, M., Ottinger, A. & Schumpelick, V. Shrinking of polypropylene mesh in vivo: an experimental study in dogs. Eur J Surg 164, 965-9 (1998).
271. C.D. Klink, K. Junge, M. Binnebosel, H. P. Alizai, J. Otto, U. P. Neumann, U. Klinge, Comparison of Long-Term Biocompatibility of PVDF and PP Meshes, *Journal of Investigative Surgery*, 24 (2011) 292-299.
272. Klosterhalfen B, Hermanns B, Rosch R, Junge K. Biological Response to Mesh. Eur Surg 2003; 3 5(1):16-20.
273. Klosterhalfen B, Junge K, Hermanns B, Klinge U. Influence of implantation interval on the long-term biocompatibility of surgical mesh. Brit J Surg 2002 89:1043-1048.
274. Klosterhalfen B, Junge K, Klinge U. The lightweight and large porous mesh concept for hernia repair. Expert Rev. Med. Devices 2005; 2(1): 1-15.
275. Klosterhalfen B, Klinge U, Hermanns B, Schumpelick V. Pathology of traditional surgical nets for hernia repair after long-term implantation in humans. Chirurg 2000; 71:43-51.
276. Klosterhalfen B, Klinge U, Schumpelick V. Functional and morphological evaluation of different polypropylene-mesh modifications for abdominal wall repair. Biomaterials 1998; 19:2235-2246.
277. Klosterhalfen, B. & Klinge, U. Retrieval study at 623 human mesh explants made of polypropylene--impact of mesh class and indication for mesh removal on tissue reaction. J Biomed Mater Res B Appl Biomater 101, 1393-9 (2013).
278. Klosterhalfen, B., Junge, K. & Klinge, U. The lightweight and large porous mesh concept for hernia repair. Expert Rev Med Devices 2, 103-17 (2005).
279. Klosterhalfen, B., Junge, K., Hermanns, B. & Klinge, U. Influence of implantation interval on the long-term biocompatibility of surgical mesh. Br J Surg 89, 1043-8 (2002).

280. Klutke, C. et al. Urinary retention after tension-free vaginal tape procedure: incidence and treatment. *Urology* 58, 697-701 (2001).
281. Kobashi, K.C. & Govier, F.E. Management of vaginal erosion of polypropylene mesh slings. *J Urol* 169, 2242-3 (2003).
282. Kobashi, K.C. et al. Erosion of woven polyester pubovaginal sling. *J Urol* 162, 2070-2 (1999).
283. Kociszewski, J. et al. Tape functionality: position, change in shape, and outcome after TVT procedure--mid-term results. *Int Urogynecol J* 21, 795-800 (2010).
284. Kocjancic, E. et al. Transobturator tape in the management of female stress incontinence: clinical outcomes at medium term follow-up. *Urol Int* 80, 275-8 (2008).
285. Kokanali, M. et al. Risk factors for mesh erosion after vaginal sling procedures for urinary incontinence. *Eur J Obstet Gynecol Reprod Biol* 177, 146-50 (2014).
286. Kramer DB, Xu S, Kesselheim AS. Regulation of Medical Devices in the United States and European Union. *N Engl J Med* 2012; 366(9): 848-855.
287. Kristensen, I. et al. Complications of the tension-free vaginal tape procedure for stress urinary incontinence. *Int Urogynecol J* 21, 1353-7 (2010).
288. Kudish, B. I., & Iglesia, C. B. (2010). Posterior wall prolapse and repair. *Clin Obstet Gynecol*, 53(1), 59-71. doi: 10.1097/GRF.0b013e3181cd41e3
289. Kumar, V., Abbas, A., Fausto, N. & Aster, J. Robbins and Cotran Pathological Basis of Disease, 8th Edition (Elsevier, Imprint: W.B. Saunders, 2010).
290. Kuo, H.C. Long-term surgical results of pubovaginal sling procedure using polypropylene mesh in the treatment of stress urinary incontinence. *Urol Int* 74, 147-52 (2005).
291. Kuuva, N. & Nilsson, C.G. A nationwide analysis of complications associated with the tension-free vaginal tape (TVT) procedure. *Acta Obstet Gynecol Scand* 81, 72-7 (2002).
292. Kwon, S., Latchamsetty, K., Benson, J. & Carreno, M. Inflammatory myofibroblastic tumor of the urinary tract following a TVT. *Journal of Pelvic Medicine and Surgery* 18, 249-51 (2012).
293. Langhans, T. Ueber Riesenzellen mit wandständigen Kernen in Tuberkeln und die fibröse Form des Tuberkels. *Virchows Arch. Pathol. Anat.* 42, 382-404 (1868).
294. Laskin, D. & Pendino, K. Macrophages and inflammatory mediators in tissue injury. *Annu Rev Pharmacol Toxicol* 35, 655-77 (1995).
295. Latthe, P., Foon, R. & Tooze-Hobson, P. Transobturator and retropubic tape procedures in stress urinary incontinence: a systematic review and meta-analysis of effectiveness and complications. *BJOG* 114, 522-531 (2007).
296. Latthe, P.M., Patodi, M. & Constantine, G. Transobturator tape procedure in stress urinary incontinence: UK experience of a district general hospital. *J Obstet Gynaecol* 27, 177-80 (2007).
297. Latthe, P.M., Singh, P., Foon, R. & Tooze-Hobson, P. Two routes of transobturator tape procedures in stress urinary incontinence: a meta-analysis with direct and indirect comparison of randomized trials. *BJU Int* 106, 68-76 (2010).
298. Lau, H.H., Su, T.H., Su, C.H., Lee, M.Y. & Sun, F.J. Short-term impact of tension-free vaginal tape obturator procedure on sexual function in women with stress urinary incontinence. *J Sex Med* 7, 1578-84 (2010).
299. Lee, D., Dillon, B., Lemack, G., Gomelsky, A. & Zimmern, P. Transvaginal mesh kits--how serious are the complications and are they reversible? *Urology* 81, 43-8 (2013).
300. Lee, H.N. et al. Transurethral injection of bulking agent for treatment of failed mid-urethral sling procedures. *Int Urogynecol J* 21, 1479-83 (2010).
301. Lee, J.H. et al. Modified transobturator tape (canal transobturator tape) surgery for female stress urinary incontinence. *J Urol* 181, 2616-21 (2009).
302. Lee, J.K., Agnew, G. & Dwyer, P.L. Mesh-related chronic infections in silicone-coated polyester suburethral slings. *Int Urogynecol J* 22, 29-35 (2011).

303. Lee, K.S. et al. Outcomes following repeat mid urethral synthetic sling after failure of the initial sling procedure: rediscovery of the tension-free vaginal tape procedure. *J Urol* 178, 1370-4; discussion 1374 (2007).
304. Lee TW, Tumanov S, Villas-Bôas SG, Montgomery JM, Birch NP. Chemicals eluting from disposable plastic syringes and syringe filters alter neurite growth, axogenesis and the microtubule cytoskeleton in cultured hippocampal neurons. *J Neurochem* 2014;Dec 18[Epub ahead of print]:doi: 10.1111/jnc.13009.
305. Lee, U., Wolff, E. M., & Kobashi, K. C. (2012). Native tissue repairs in anterior vaginal prolapse surgery: examining definitions of surgical success in the mesh era. *Curr Opin Urol*, 22(4), 265-270. doi: 10.1097/MOU.0b013e32835459bb
306. Lefranc, O., Bayon, Y., Montanari, S., Gravagna, P., & Thérin, M. (2011). Reinforcement Materials in Soft Tissue Repair: Key Parameters Controlling Tolerance and Performance – Current and Future Trends in Mesh Development. In P. Theobald, C. W. Zimmerman & G. W. Davila (Eds.), *New Techniques in Genital Prolapse Surgery* (Vol. 5, pp. 275-287): Springer London.
307. Levinson SR, Luo S, Henry MA. The role of sodium channels in chronic pain. *Muscle Nerve*. 2012 Aug;46 (2):155-65.
308. Li, B., Zhu, L., Lang, J., Fan, R. & Xu, T. Long-term Outcomes of the Tension-Free Vaginal Tape Procedure for Female Stress Urinary Incontinence: 7-Year Follow-up in China. *J Minim Invasive Gynecol* 19, 201-205 (2012).
309. Liapis, A., Bakas, P. & Creatsas, G. Efficacy of inside-out transobturator vaginal tape (TVTO) at 4 years follow up. *Eur J Obstet Gynecol Reprod Biol* 148, 199-201 (2010).
310. Liebert, T., Chartoff, R., Cosgrove, S. & McCuskey, R. Subcutaneous implants of polypropylene filaments. *Journal of Biomedical Materials Research, Part A* 10, 939–951 (1976).
311. Lier, D. et al. Trans-obturator tape compared with tension-free vaginal tape in the surgical treatment of stress urinary incontinence: a cost utility analysis. *BJOG* 118, 550-6 (2011).
312. Lim, J., Cornish, A. & Carey, M.P. Clinical and quality-of-life outcomes in women treated by the TVT-O procedure. *BJOG* 113, 1315-20 (2006).
313. Lim, Y.N. et al. Do the Advantage slings work as well as the tension-free vaginal tapes? *Int Urogynecol J* 21, 1157-62 (2010).
314. Linderroth, G., Kehlet, H., Aasvang, E. K., & Werner, M. U. (2011). Neurophysiological characterization of persistent pain after laparoscopic inguinal hernia repair. *Hernia*, 15(5), 521-529. doi: 10.1007/s10029-011-0815-z
315. Linley JE, Rose K, Ooi L, Gamper N. Understanding inflammatory pain: ion channels contributing to acute and chronic nociception. *Pflugers Arch*. 2010 Apr; 459(5):657-69.
316. Lintin, L.A. & Kingsnorth, A.N. Mechanical failure of a lightweight polypropylene mesh. *Hernia* 18, 131-3 (2014).
317. Littman, P. M., & Culligan, P. J. (2009). The Rapid Evolution of Vaginal Mesh Delivery Systems for the Correction of Pelvic Organ Prolapse: Part I. The Female Patient, 34, 2-8.
318. Litwin DE, Pham QN, Oleniuk FH, Klufftinger AM, Rossi L. Laparoscopic groin hernia surgery: the TAPP procedure. Transabdominal preperitoneal hernia repair. *Can J Surg*. 1997 Jun;40(3):192-8.
319. Liu, P.E. et al. Outcome of tension-free obturator tape procedures in obese and overweight women. *Int Urogynecol J* 22, 259-63 (2011).
320. Lleberia-Juanos, J. et al. De novo urgency after tension-free vaginal tape versus transobturator tape procedure for stress urinary incontinence. *Eur J Obstet Gynecol Reprod Biol* 155, 229-32 (2011).
321. Lo, D., Zimmermann, A., Nauta, A., Longaker, M. & Lorenz, H. Scarless fetal skin wound healing update. *Birth Defects Res C Embryo Today* 96, 237-47 (2012).

322. Lo, T.S. Combined pelvic reconstructive surgery and transobturator tape (monarc) in women with advanced prolapse and urodynamic stress incontinence: a case control series. *J Minim Invasive Gynecol* 16, 163-8 (2009).
323. Long, C.Y. et al. Lateral excision of tension-free vaginal tape for the treatment of iatrogenic urethral obstruction. *Obstet Gynecol* 104, 1270-4 (2004).
324. Lord, H.E. et al. A randomized controlled equivalence trial of short-term complications and efficacy of tension-free vaginal tape and suprapubic urethral support sling for treating stress incontinence. *BJU Int* 98, 367-76 (2006).
325. Madsen, A.M. et al. A cohort study comparing a single-incision sling with a retropubic midurethral sling. *Int Urogynecol J* 25, 351-8 (2014).
326. Mahajan, S.T., Kenton, K., Bova, D.A. & Brubaker, L. Transobturator tape erosion associated with leg pain. *Int Urogynecol J Pelvic Floor Dysfunct* 17, 66-8 (2006).
327. Maher, C., Feiner, B., Baessler, K., & Schmid, C. (2013). Surgical management of pelvic organ prolapse in women. *Cochrane Database Syst Rev*, 4, CD004014. doi: 10.1002/14651858.CD004014.pub5
328. Mamy, L. et al. Correlation between shrinkage and infection of implanted synthetic meshes using an animal model of mesh infection. *Int Urogynecol J* 22, 47-52 (2011).
329. Mancini D, Vaillancourt R, Pouliot A, Lin A, Sharp D. Taste and Odour Disturbances in Pediatric Patients Undergoing IV Flush with Normal Saline Administered by Prefilled or Freshly Prepared Syringes: Randomized Single-Blind Study. *Can J Hosp Pharm* 2014;67:353-7.
330. Manodoro, S. et al. Graft-related complications and biaxial tensiometry following experimental vaginal implantation of flat mesh of variable dimensions. *BJOG* 120, 244-50 (2013).
331. Marcus-Braun, N. & von Theobald, P. Mesh removal following transvaginal mesh placement: a case series of 104 operations. *Int Urogynecol J* 21, 423-30 (2010).
332. Marcus-Braun, N., Bourret, A. & von Theobald, P. Persistent pelvic pain following transvaginal mesh surgery: a cause for mesh removal. *Eur J Obstet Gynecol Reprod Biol* 162, 224-228 (2012).
333. Margulies, R. U., Lewicky-Gaupp, C., Fenner, D. E., McGuire, E. J., Clemens, J. Q., & Delancey, J. O. (2008). Complications requiring reoperation following vaginal mesh kit procedures for prolapse. *Am J Obstet Gynecol*, 199(6), 678 e671-674. doi: 10.1016/j.ajog.2008.07.049
334. Marks, B.K. & Goldman, H.B. Controversies in the management of mesh-based complications: a urology perspective. *Urol Clin North Am* 39, 419-28 (2012).
335. Maroto, J.R. et al. Transobturator adjustable tape (TOA) permits to correct postoperatively the tension applied in stress incontinence surgery. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 797-805 (2009).
336. Marques, A.L., Aparicio, C. & Negrao, L. Perineal cellulitis as a late complication of trans-obturator sub-urethral tape, Obtape. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 821-2 (2007).
337. Celine Mary, Yves Marois, Martin W. King, Gaetan Laroche, Yvan Douville, Louise Martin, Robert Guidoin, Comparison of the In Vivo Behaviour of Polyvinylidene Fluoride and Polypropylene Sutures Used in Vascular Surgery, *ASAIO Journal*, 44 (1998) 199-206.
338. Masata, J. et al. Randomized trial of a comparison of the efficacy of TVT-O and single-incision tape TVT SECUR systems in the treatment of stress urinary incontinent women--2-year follow-up. *Int Urogynecol J* 23, 1403-12 (2012).
339. Mc Conville, C., Major, I., Friend, D. R., Clark, M. R., Woolfson, A. D., & Malcolm, R. K. (2012). Development of polylactide and polyethylene vinyl acetate blends for the manufacture

- of vaginal rings. *J Biomed Mater Res B Appl Biomater*, 100(4), 891-895. doi: 10.1002/jbm.b.31919
340. McNally, A. & Anderson, J. Interleukin-4 induces foreign body giant cells from human monocytes/macrophages. Differential lymphokine regulation of macrophage fusion leads to morphological variants of multinucleated giant cells. *Am J Pathol* 147, 1487-99 (1995).
341. Mellier, G., Mistrangelo, E., Gery, L., Philippe, C. & Patrice, M. Tension-free obturator tape (Monarc Subfascial Hammock) in patients with or without associated procedures. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 165-72 (2007).
342. Mendonca, T.M., Martinho, D. & Dos Reis, J.P. Late urethral erosion of transobturator suburethral mesh (Obtape): a minimally invasive management under local anaesthesia. *Int Urogynecol J* 22, 37-9 (2011).
343. Meschia, M., Busacca, M., Pifarotti, P. & De Marinis, S. Bowel perforation during insertion of tension-free vaginal tape (TVT). *Int Urogynecol J Pelvic Floor Dysfunct* 13, 263-5; discussion 265 (2002).
344. Meschia, M., Pifarotti, P., Gattei, U. & Bertozzi, R. Tension-free vaginal tape: analysis of risk factors for failures. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 419-22 (2007).
345. Mesens, T., Aich, A. & Bhal, P.S. Late erosions of mid-urethral tapes for stress urinary incontinence--need for long-term follow-up? *Int Urogynecol J Pelvic Floor Dysfunct* 18, 1113-4 (2007).
346. Mesh Distortion Video – Zolnoun
347. Metchnikoff, E. Untersuchungen über die intracelluläre Verdauung wirbellosen bei Tieren. *Arbeiten aus dem Zoologischen Institut der Universität Wien und der Zoologischen Station in Triest* 5, 141-168 (1884).
348. Metz, S. A., Chegini, N., & Masterson, B. J. (1990). In vivo and in vitro degradation of monofilament absorbable sutures, PDS and Maxon. *Biomaterials*, 11(1), 41-45.
349. Miguel PR, Reusch M, daRosa AL, Carlos JR. JSLs. Laparoscopic hernia repair--complications. 1998 Jan-Mar;2(1):35-40.
350. Milani, R., Salvatore, S., Soligo, M., Pifarotti, P., Meschia, M., & Cortese, M. (2005). Functional and anatomical outcome of anterior and posterior vaginal prolapse repair with prolene mesh. *BJOG*, 112(1), 107-111. doi: 10.1111/j.1471-0528.2004.00332.x
351. Miller, J., Acar, F., Kaimakchiev, V., Gultekin, S. & Burchiel, K. Pathology of ilioinguinal neuropathy produced by mesh entrapment: case report and literature review. *Hernia* 12, 213-6 (2008).
352. Minaglia, S., Ozel, B., Klutke, C., Ballard, C. & Klutke, J. Bladder injury during transobturator sling. *Urology* 64, 376-7 (2004).
353. Misrai, V. et al. Surgical resection for suburethral sling complications after treatment for stress urinary incontinence. *J Urol* 181, 2198-202; discussion 2203 (2009).
354. Moalli, P. et al. Tensile properties of five commonly used mid-urethral slings relative to the TVT. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 655-63 (2008).
355. Mohr, S., Kuhn, P., Mueller, M.D. & Kuhn, A. Painful love-hispareunia after sling erosion of the female partner. *J Sex Med* 8, 1740-6 (2011).
356. Moss WM. A comparison of open-end versus closed-end vasectomies: a report on 6220 cases. *Contraception*. 1992 Dec;46(6):521-5.
357. Montoya, T. I., Calver, L., Carrick, K. S., Prats, J., & Corton, M. M. (2011). Anatomic relationships of the pudendal nerve branches. *Am J Obstet Gynecol*, 205(5), 504 e501-505. doi: 10.1016/j.ajog.2011.07.014
358. Mostafa, A. et al. Multicenter prospective randomized study of single-incision mini-sling vs tension-free vaginal tape-obturator in management of female stress urinary incontinence: a minimum of 1-year follow-up. *Urology* 82, 552-9 (2013).

359. Mostafa, A., Madhuvrata, P. & Abdel-Fattah, M. Preoperative urodynamic predictors of short-term voiding dysfunction following a transobturator tension-free vaginal tape procedure. *Int J Gynaecol Obstet* 115, 49-52 (2011).
360. Muhl, T., Binnebosel, M., Klinge, U., & Goedderz, T. (2008). New objective measurement to characterize the porosity of textile implants. *J Biomed Mater Res B Appl Biomater*, 84(1), 176-183. doi: 10.1002/jbm.b.30859
361. Murphy, M., Holzberg, A., van Raalte, H., Kohli, N., Goldman, H. B., & Lucente, V. (2012). Time to rethink: an evidence-based response from pelvic surgeons to the FDA Safety Communication: UPDATE on Serious Complications Associated with Transvaginal Placement of Surgical Mesh for Pelvic Organ Prolapse. *Int Urogynecol J*, 23(1), 5-9. doi: 10.1007/s00192-011-1581-2
362. Murray, S., Haverkorn, R. M., Lotan, Y., & Lemack, G. E. (2011). Mesh kits for anterior vaginal prolapse are not cost effective. *Int Urogynecol J*, 22(4), 447-452. doi: 10.1007/s00192-010-1291-1
363. Nager, C., Tulikangas, P., Miller, D., Rovner, E. & Goldman, H. Position statement on mesh midurethral slings for stress urinary incontinence. *Female Pelvic Med Reconstr Surg* 20, 123-5 (2014).
364. Naidu, A. et al. Transobturator tape for stress incontinence: the North Queensland experience. *Aust N Z J Obstet Gynaecol* 45, 446-9 (2005).
365. Nazemi, T.M. et al. Minimum 24-month followup of the sling for the treatment of stress urinary incontinence. *J Urol* 179, 596-9 (2008).
366. Neuman, M. Infected hematoma following tension-free vaginal tape implantation. *J Urol* 168, 2549 (2002).
367. Neuman, M., Sosnovski, V., Goralnik, S., Diker, B. & Bornstein, J. Comparison of two inside-out transobturator suburethral sling techniques for stress incontinence: early postoperative thigh pain and 3-year outcomes. *Int J Urol* 19, 1103-7 (2012).
368. Nguyen, J. N., & Burchette, R. J. (2008). Outcome after anterior vaginal prolapse repair: a randomized controlled trial. *Obstet Gynecol*, 111(4), 891-898. doi: 10.1097/AOG.0b013e31816a2489
369. Nicolson, A. & Adeyemo, D. Colovaginal fistula: a rare long-term complication of polypropylene mesh sacrocolpopexy. *J Obstet Gynaecol* 29, 444-5 (2009).
370. Niemczyk, P., Klutke, J.J., Carlin, B.I. & Klutke, C.G. United States experience with tension-free vaginal tape procedure for urinary stress incontinence: assessment of safety and tolerability. *Tech Urol* 7, 261-5 (2001).
371. Nieminen, K., Hiltunen, R., Takala, T., Heiskanen, E., Merikari, M., Niemi, K., & Heinonen, P. K. (2010). Outcomes after anterior vaginal wall repair with mesh: a randomized, controlled trial with a 3 year follow-up. *Am J Obstet Gynecol*, 203(3), 235 e231-238. doi: 10.1016/j.ajog.2010.03.030
372. Nikkolo, C. et al. Three-year results of randomised clinical trial comparing lightweight mesh with heavyweight mesh for inguinal hernioplasty. *Hernia* 16, 555-9 (2012).
373. Nilsson, C., Palva, K., Aarnio, R., Morcos, E. & Falconer, C. Seventeen years' follow-up of the tension-free vaginal tape procedure for female stress urinary incontinence. *Int Urogynecol J* 24, 1265-1269 (2013).
374. Novara, G. et al. Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. *Eur Urol* 58, 218-38 (2010).
375. Novi, J.M. & Mulvihill, B.H. Surgical intervention for stress urinary incontinence: comparison of midurethral sling procedures. *J Am Osteopath Assoc* 108, 634-8 (2008).
376. Nygaard, I., Brubaker, L., Zyczynski, H. M., Cundiff, G., Richter, H., Gantz, M., . . . Meikle, S. (2013). Long-term outcomes following abdominal sacrocolpopexy for pelvic organ prolapse. *JAMA*, 309(19), 2016-2024. doi: 10.1001/jama.2013.4919

377. Ogah, J., Cody, D.J. & Rogerson, L. Minimally invasive synthetic suburethral sling operations for stress urinary incontinence in women: A short version Cochrane review. *Neurourology and Urodynamics* 30, 284-291 (2011).
378. Oh, T.H. & Ryu, D.S. Transurethral resection of intravesical mesh after midurethral sling procedures. *J Endourol* 23, 1333-7 (2009).
379. Olagundoye, V.O., Shah, M.M. & Jackson, S.R. Delayed presentation of small bowel trauma during insertion of tension free vaginal tape (TVT) sling. *J Obstet Gynaecol* 27, 92-3 (2007).
380. Olah, K.S. Adductor compartment syndrome: An unusual complication of the trans-obturator tape procedure. *J Obstet Gynaecol* 28, 363-4 (2008).
381. Olsen, A. L., Smith, V. J., Bergstrom, J. O., Colling, J. C., & Clark, A. L. (1997). Epidemiology of surgically managed pelvic organ prolapse and urinary incontinence. *Obstet Gynecol*, 89(4), 501-506. doi: 10.1016/s0029-7844(97)00058-6
382. Olsson, I., Abrahamsson, A.K. & Kroon, U.B. Long-term efficacy of the tension-free vaginal tape procedure for the treatment of urinary incontinence: a retrospective follow-up 11.5 years post-operatively. *Int Urogynecol J* 21, 679-83 (2010).
383. Onol, F.F. et al. Minimum 1.5-year results of surgeon-tailored transvaginal mesh repair for female stress urinary incontinence and pelvic organ prolapse. *Urology* 80, 273-9 (2012).
384. Ordorica, R., Rodriguez, A.R., Coste-Delvecchio, F., Hoffman, M. & Lockhart, J. Disabling complications with slings for managing female stress urinary incontinence. *BJU Int* 102, 333-6 (2008).
385. Osborn, D.J. et al. Analysis of patient and technical factors associated with midurethral sling mesh exposure and perforation. *Int J Urol* (2014).
386. Ostergard, D. Degradation, infection and heat effects on polypropylene mesh for pelvic implantation: what was known and when it was known. *Int Urogynecol J* 22, 771-774 (2011).
387. Ostergard, D. R. (2012). Evidence-based medicine for polypropylene mesh use compared with native tissue vaginal prolapse repair. *Urology*, 79(1), 12-14. doi: 10.1016/j.urology.2011.07.1438
388. Otto, J. et al. Large-pore PDS mesh compared to small-pore PG mesh. *J Invest Surg.* 23, 190-6 (2010).
389. Otto, J., Kaldenhoff, E., Kirschner-Hermanns, R., Muhl, T., & Kinge, U. (2013). Elongation of textile pelvic floor implants under load is related to complete loss of effective porosity, thereby favoring incorporation in scar plates. *J Biomed Mater Res A*. doi: 10.1002/jbm.a.34767
390. Ozel, B., Minaglia, S., Hurtado, E., Klutke, C.G. & Klutke, J.J. Treatment of voiding dysfunction after transobturator tape procedure. *Urology* 64, 1030 (2004).
391. Pace, G. & Vicentini, C. Female sexual function evaluation of the tension-free vaginal tape (TVT) and transobturator suburethral tape (TOT) incontinence surgery: results of a prospective study. *J Sex Med* 5, 387-93 (2008).
392. Padmanabhan, P. et al. Approach to management of iatrogenic foreign bodies of the lower urinary tract following reconstructive pelvic surgery. *J Urol* 187, 1685-90 (2012).
393. Paick, J.S., Oh, S.J., Kim, S.W. & Ku, J.H. Tension-free vaginal tape, suprapubic arc sling, and transobturator tape in the treatment of mixed urinary incontinence in women. *Int Urogynecol J Pelvic Floor Dysfunct* 19, 123-9 (2008).
394. Palma, P. et al. Transobturator SAFYRE sling is as effective as the transvaginal procedure. *Int Urogynecol J Pelvic Floor Dysfunct* 16, 487-91 (2005).
395. Palva, K. & Nilsson, C.G. Prevalence of urinary urgency symptoms decreases by mid-urethral sling procedures for treatment of stress incontinence. *Int Urogynecol J* 22, 1241-7 (2011).
396. Palva, K. et al. A randomized trial comparing tension-free vaginal tape with tension-free vaginal tape-obturator: 36-month results. *Int Urogynecol J* 21, 1049-55 (2010).

397. Paparella, R. et al. Prospective randomized trial comparing synthetic vs biological out-in transobturator tape: a mean 3-year follow-up study. *Int Urogynecol J* 21, 1327-36 (2010).
398. Paraiso, M. F., Barber, M. D., Muir, T. W., & Walters, M. D. (2006). Rectocele repair: a randomized trial of three surgical techniques including graft augmentation. *Am J Obstet Gynecol*, 195(6), 1762-1771. doi: 10.1016/j.ajog.2006.07.026
399. Parekh, M.H., Minassian, V.A. & Poplawsky, D. Bilateral bladder erosion of a transobturator tape mesh. *Obstet Gynecol* 108, 713-5 (2006).
400. Parnell, B. A., Johnson, E. A., & Zolnoun, D. A. (2012). Genitofemoral and perineal neuralgia after transobturator midurethral sling. *Obstetrics & Gynecology*, 119(2 Pt 2), 428-431.
401. Patel H, O.D., Sternschuss G. Polypropylene mesh and the host response. *Int Urogynecol J* 23, 669-79 (2012).
402. Peeters, E. et al. Sperm motility after laparoscopic inguinal hernia repair with lightweight meshes: 3-year follow-up of a randomised clinical trial. *Hernia* 18, 361-7 (2014).
403. Petri, E. & Ashok, K. Comparison of late complications of retropubic and transobturator slings in stress urinary incontinence. *International Urogynecology Journal* 23, 321-325 (2012).
404. Petro, C.C. et al. Central failures of lightweight monofilament polyester mesh causing hernia recurrence: a cautionary note. *Hernia* (2014).
405. Petrou, S.P., Brown, J.A. & Blaivas, J.G. Suprameatal transvaginal urethrolysis. *J Urol* 161, 1268-71 (1999).
406. Phillips, L., Flood, C.G. & Schulz, J.A. Case report of tension-free vaginal tape-associated bowel obstruction and relationship to body habitus. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 367-8 (2009).
407. Pierce, L. et al. Long-term histologic response to synthetic and biologic graft materials implanted in the vagina and abdomen of a rabbit model. *Am J Obstet Gynecol* 200, 546.e1-8 (2009).
408. Pikaart, D.P., Miklos, J.R. & Moore, R.D. Laparoscopic removal of pubovaginal polypropylene tension-free tape slings. *JSLs* 10, 220-5 (2006).
409. Porena M, Costantini E, Frea B, Giannantoni A, Ranzoni S, Mearini L, Bini V, Kocjancic E Tension-free vaginal tape versus transobturator tape as surgery for stress urinary incontinence: results of a multicentre randomised trial. *Eur Urol*.2007 Nov;52(5):1481-90.
410. Poza, J.L. et al. Trans-obturator suburethral tape for female stress incontinence: a cohort of 254 women with 1-year to 2-year follow-up. *Acta Obstet Gynecol Scand* 87, 232-9 (2008).
411. Price, N., Slack, A., Jwarah, E., & Jackson, S. (2008). The incidence of reoperation for surgically treated pelvic organ prolapse: an 11-year experience. *Menopause Int*, 14(4), 145-148. doi: 10.1258/mi.2008.008029
412. Public Citizen Petition, August 25, 2011 with supporting statements by Dr. Lewis Wall and Dr. Daniel Elliott.
413. Pushkar, D.Y., Godunov, B.N., Gvozdev, M. & Kasyan, G.R. Complications of mid-urethral slings for treatment of stress urinary incontinence. *Int J Gynaecol Obstet* 113, 54-7 (2011).
414. Quiroz, L.H. & Cundiff, G.W. Transurethral resection of tension-free vaginal tape under tactile traction. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 873-5 (2009).
415. Rafii, A., Jacob, D. & Deval, B. Obturator abscess after transobturator tape for stress urinary incontinence. *Obstet Gynecol* 108, 720-3 (2006).
416. Rajan, B., Polydefkis, M., Hauer, P., Griffin, J. & McArthur, J. Epidermal reinnervation after intracutaneous axotomy in man. *J Comp Neurol* 457, 24-36 (2003).
417. Rapp, D.E., Govier, F.E. & Kobashi, K.C. Outcomes following mid-urethral sling placement in patients with intrinsic sphincteric deficiency: comparison of Sparc and Monarc slings. *Int Braz J Urol* 35, 68-75; discussion 75 (2009).

418. Rechberger, T., Futyma, K., Jankiewicz, K., Adamiak, A. & Skorupski, P. The clinical effectiveness of retropubic (IVS-02) and transobturator (IVS-04) midurethral slings: randomized trial. *Eur Urol* 56, 24-30 (2009).
419. Reich, A., Kohorst, F., Kreienberg, R. & Flock, F. Long-term results of the tension-free vaginal tape procedure in an unselected group: a 7-year follow-up study. *Urology* 78, 774-7 (2011).
420. Reich, A., Wiesner, K., Kohorst, F., Kreienberg, R. & Flock, F. Comparison of transobturator vaginal tape and retropubic tension-free vaginal tape: clinical outcome and sonographic results of a case-control study. *Gynecol Obstet Invest* 68, 137-44 (2009).
421. Reinke, J. & Sorg, H. Wound repair and regeneration. *Eur Surg Res* 49, 35-43 (2012).
422. Rempel DM, Diao E. Entrapment neuropathies: pathophysiology and pathogenesis. *J Electromyogr Kinesiol.* 2004 Feb;14(1):71-5.
423. Reynolds, W.S. et al. Obturator foramen dissection for excision of symptomatic transobturator mesh. *J Urol* 187, 1680-4 (2012).
424. Richter, H.E. et al. Retropubic versus transobturator midurethral slings for stress incontinence. *N Engl J Med* 362, 2066-76 (2010).
425. Ridgeway, B. et al. Early experience with mesh excision for adverse outcomes after transvaginal mesh placement using prolapse kits. *Am J Obstet Gynecol* 199, 703 e1-7 (2008).
426. Riedler, I. et al. Fournier's gangrene after tension-free vaginal tape (TVT) procedure. *Int Urogynecol J Pelvic Floor Dysfunct* 15, 145-6 (2004).
427. Robbins and Cotran, *Pathologic Basis of Disease*, eighth edition, 2010, Saunders,
428. Rogo-Gupta, L., & Raz, S. (2013). Pain Complications of Mesh Surgery. In H. B. Goldman (Ed.), *Complications of Female Incontinence and Pelvic Reconstructive Surgery* (pp. 87-105): Humana Press.
429. Rogo-Gupta, L., Huynh, L., Hartshorn, T.G., Rodriguez, L.V. & Raz, S. Long-term symptom improvement and overall satisfaction after prolapse and incontinence graft removal. *Female Pelvic Med Reconstr Surg* 19, 352-5 (2013).
430. Roman, H., Marpeau, L., & Hulsey, T. C. (2008). Surgeons' experience and interaction effect in randomized controlled trials regarding new surgical procedures. *Am J Obstet Gynecol*, 199(2), 108 e101-106. doi: 10.1016/j.ajog.2008.03.002
431. Rosa, D., Angelini, J., Agnelli, J. & Mei, L. The use of optical microscopy to follow the degradation of isotactic polypropylene (iPP) subjected to natural and accelerated aging. *Polymer Testing* 24, 1022-26 (2005).
432. Rosch R, Junge K, Schachtrupp A, Klinge U, Klosterhalfen B, Schumpelick. Mesh Implants in Hernia Repair. *Eur Surg Res* 2003; 35: 161-166.
433. Rosenblatt, P., Pulliam, S., Edwards, R. & Boyles, S.H. Suprapubically assisted operative cystoscopy in the management of intravesical TVT synthetic mesh segments. *Int Urogynecol J Pelvic Floor Dysfunct* 16, 509-11 (2005).
434. Ross, S. et al. Transobturator tape compared with tension-free vaginal tape for stress incontinence: a randomized controlled trial. *Obstet Gynecol* 114, 1287-94 (2009).
435. Roth, T.M. Management of persistent groin pain after transobturator slings. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 1371-3 (2007).
436. Roumeguere, T. et al. Trans-obturator vaginal tape (TOT) for female stress incontinence: one year follow-up in 120 patients. *Eur Urol* 48, 805-9 (2005).
437. Roupert, M. et al. Laparoscopic surgical complete sling resection for tension-free vaginal tape-related complications refractory to first-line conservative management: a single-centre experience. *Eur Urol* 58, 270-4 (2010).
438. Sabadell, J. et al. Usefulness of retropubic tape for recurrent stress incontinence after transobturator tape failure. *Int Urogynecol J* 22, 1543-7 (2011).
439. Sahin, A.F., Ilbey, Y.O. & Sahin, N. Vaginocutaneous fistula and inguinal abscess presented 6 years after tension-free vaginal tape sling. *Arch Ital Urol Androl* 85, 104-6 (2013).

440. Sajid MS, Leaver C, Baig MK, Sains P. Systematic review and meta-analysis of the use of lightweight versus heavyweight mesh in open inguinal hernia repair. *British J Surg* 2012; 99: 29-37.
441. Sakalis, V.I., Gkotsi, A.C., Triantafyllidis, A., Giouris, A. & Charalambous, S. Transurethral holmium laser intravesical tape excision following TVT procedure: results from seven patients in a 12-month follow-up. *Int Urogynecol J* 23, 769-77 (2012).
442. Salvador M.D., V. Amigó, M.J. Vidal, A. Ribes, L. Contat. Evaluation of chemical degradation of commercial polypropylene, *Journal of Materials Processing Technology* 143–144 (2003): 693–697
443. Sand, P. K., Koduri, S., Lobel, R. W., Winkler, H. A., Tomezsko, J., Culligan, P. J., & Goldberg, R. (2001). Prospective randomized trial of polyglactin 910 mesh to prevent recurrence of cystoceles and rectoceles. *Am J Obstet Gynecol*, 184(7), 1357-1362; discussion 1362-1354.
444. Sander, P., Sorensen, F. & Lose, G. Does the tension-free vaginal tape procedure (TVT) affect the voiding function over time? Pressure-flow studies 1 year and 3(1/2) years after TVT. *Neurourol Urodyn* 26, 995-7 (2007).
445. Scheiner, D.A. et al. Twelve months effect on voiding function of retropubic compared with outside-in and inside-out transobturator midurethral slings. *Int Urogynecol J* 23, 197-206 (2012).
446. Schierlitz, L. et al. Three-year follow-up of tension-free vaginal tape compared with transobturator tape in women with stress urinary incontinence and intrinsic sphincter deficiency. *Obstet Gynecol* 119, 321-7 (2012).
447. Schimpf, M.O. et al. Sling surgery for stress urinary incontinence in women: a systematic review and metaanalysis. *Am J Obstet Gynecol* 211, 71 e1-71 e27 (2014).
448. Schmidt, H. et al. Comparison of the Rates of Polypropylene Fibre Degradation Caused by Artificial Light and Sunlight. *FIBRES & TEXTILES in Eastern Europe* 4, 53-58 (2011).
449. Schwingl PJ, Guess HA. Safety and effectiveness of vasectomy. *Fertil Steril*. 2000;73(5):923-36.
450. Serati, M. et al. TVT-O for the treatment of pure urodynamic stress incontinence: efficacy, adverse effects, and prognostic factors at 5-year follow-up. *Eur Urol* 63, 872-8 (2013).
451. Shah, H.N. & Badlani, G.H. Mesh complications in female pelvic floor reconstructive surgery and their management: A systematic review. *Indian J Urol* 28, 129-53 (2012).
452. Shah, K., Nikolavsky, D., Gilsdorf, D. & Flynn, B.J. Surgical management of lower urinary mesh perforation after mid-urethral polypropylene mesh sling: mesh excision, urinary tract reconstruction and concomitant pubovaginal sling with autologous rectus fascia. *Int Urogynecol J* 24, 2111-7 (2013).
453. Shaker, H.S., Ban, H.M., Hegazy, A.S. & Mansour, M.F. Functional and quality of life outcome of transobturator tape for treatment of female stress urinary. *Int Urogynecol J* 22, 99-103 (2011).
454. Shepherd JP, Feola AJ, Abramowitch SD, Moalli PA Uniaxial biomechanical properties of seven different vaginally implanted meshes for pelvic organ prolapse. *Int Urogynecol J*. 2012 May;23(5):613-20.
455. Siddighi, S. & Karram, M.M. Surgical and nonsurgical approaches to treat voiding dysfunction following antiincontinence surgery. *Curr Opin Obstet Gynecol* 19, 490-5 (2007).
456. Siddiqui, K., Raj, H., Flynn, R.J., Grainger, R. & Thornhill, J.A. Minimally invasive treatment of female stress urinary incontinence: 100 cases using SPARC sling. *Ir J Med Sci* 177, 39-42 (2008).
457. Siegel, A.L. Vaginal mesh extrusion associated with use of Mentor transobturator sling. *Urology* 66, 995-9 (2005).
458. Siegel, A.L., Kim, M., Goldstein, M., Levey, S. & Ilbeigi, P. High incidence of vaginal mesh extrusion using the intravaginal slingplasty sling. *J Urol* 174, 1308-11 (2005).

459. Silva-Filho, A.L., Candido, E.B., Noronha, A. & Triginelli, S.A. Comparative study of autologous pubovaginal sling and synthetic transobturator (TOT) SAFYRE sling in the treatment of stress urinary incontinence. *Arch Gynecol Obstet* 273, 288-92 (2006).
460. Sivanesan, K., Abdel-Fattah, M. & Tierney, J. Perineal cellulitis and persistent vaginal erosion after transobturator tape (Obtape)--case report and review of the literature. *Int Urogynecol J Pelvic Floor Dysfunct* 18, 219-21 (2007).
461. Sivaslioglu, A.A., Unlubilgin, E. & Dolen, I. The multifilament polypropylene tape erosion trouble: tape structure vs surgical technique. Which one is the cause? *Int Urogynecol J Pelvic Floor Dysfunct* 19, 417-20 (2008).
462. Sivaslioglu, A.A., Unlubilgin, E., Aydogmus, S., Keskin, L. & Dolen, I. A prospective randomized controlled trial of the transobturator tape and tissue fixation mini-sling in patients with stress urinary incontinence: 5-year results. *J Urol* 188, 194-9 (2012).
463. Skala, C. et al. The IUGA/ICS classification of complications of prosthesis and graft insertion: a comparative experience in incontinence and prolapse surgery. *Int Urogynecol J* 22, 1429-35 (2011).
464. Smith, T. et al. Pathologic evaluation of explanted vaginal mesh: interdisciplinary experience from a referral center. *Female Pelvic Med Reconstr Surg* 19, 238-41 (2013).
465. Stanford, E. & Paraiso, M. A Comprehensive Review of Suburethral Sling Procedure Complications. *J Minim Invasive Gynecol* 15, 132-145 (2008).
466. Stanford, E. J., Cassidenti, A., & Moen, M. D. (2012). Traditional native tissue versus mesh-augmented pelvic organ prolapse repairs: providing an accurate interpretation of current literature. *Int Urogynecol J*, 23(1), 19-28. doi: 10.1007/s00192-011-1584-z
467. Sternschuss, G. (2012). Re: Post-Implantation Alterations of Polypropylene in the Human. *J Urol*. doi: 10.1016/j.juro.2012.11.164
468. Sternschuss, G., Ostergard, D. & Patel, H. Post-Implantation Alterations of Polypropylene in the Human. *J Urol* 188, 27-32 (2012).
469. Sternschuss, G., Ostergard, D. R., & Patel, H. (2012). Erratum: Post-implantation alterations of polypropylene in the human. *J Urol*, 188(1), 27-32. doi: 10.1016/j.juro.2012.02.2559
470. Stewart MJ, "On the use of polarized light in the detection and investigation of suture materials embedded in the tissues," *The British Medical Journal*, pp. 663-5, May 15, 1920
471. Strasberg, S.M., Linehan, D.C. & Hawkins, W.G. The accordion severity grading system of surgical complications. *Ann Surg* 250, 177-86 (2009).
472. Su, T.H. et al. Tension-free vaginal tape-obturator procedure for treatment of severe urodynamic stress incontinence: subjective and objective outcomes during 2 years of follow-up. *J Obstet Gynaecol Res* 35, 1077-82 (2009).
473. Sun, M.J. & Tsai, H.D. Is transobturator suburethral sling effective for treating female urodynamic stress incontinence with low maximal urethral closure pressure? *Taiwan J Obstet Gynecol* 50, 20-4 (2011).
474. Sung, V. W., Rogers, R. G., Schaffer, J. I., Balk, E. M., Uhlig, K., Lau, J., . . . Young, S. B. (2008). Graft use in transvaginal pelvic organ prolapse repair: a systematic review. *Obstet Gynecol*, 112(5), 1131-1142. doi: 10.1097/AOG.0b013e3181898ba9
475. Sung, V.W., Kassis, N. & Raker, C.A. Improvements in physical activity and functioning after undergoing midurethral sling procedure for urinary incontinence. *Obstet Gynecol* 120, 573-80 (2012).
476. Suskind, A.M. et al. Effectiveness of mesh compared with nonmesh sling surgery in Medicare beneficiaries. *Obstet Gynecol* 122, 546-52 (2013).
477. Svabik, K. et al. Ultrasound appearances after mesh implantation--evidence of mesh contraction or folding? *Int Urogynecol J* 22, 529-33 (2011).

478. Svenningsen, R., Staff, A.C., Schiotz, H.A., Western, K. & Kulseng-Hanssen, S. Long-term follow-up of the retropubic tension-free vaginal tape procedure. *Int Urogynecol J* 24, 1271-8 (2013).
479. Sweat, S.D. et al. Polypropylene mesh tape for stress urinary incontinence: complications of urethral erosion and outlet obstruction. *J Urol* 168, 144-6 (2002).
480. Sweeney, D.D. & Leng, W.W. Treatment of postoperative voiding dysfunction following incontinence surgery. *Curr Urol Rep* 6, 365-70 (2005).
481. Swift, S., Woodman, P., O'Boyle, A., Kahn, M., Valley, M., Bland, D., . . . Schaffer, J. (2005). Pelvic Organ Support Study (POSST): the distribution, clinical definition, and epidemiologic condition of pelvic organ support defects. *Am J Obstet Gynecol*, 192(3), 795-806. doi: 10.1016/j.ajog.2004.10.602
482. Takahashi, S. et al. Transvaginal mesh (TVM) reconstruction with TVT/TOT sling for vaginal prolapse concurrent with stress urinary incontinence. *Aktuelle Urol* 41 Suppl 1, S20-3 (2010).
483. Tang, L. & Eaton, J. Fibrin(ogen) mediates acute inflammatory responses to biomaterials. *J Exp Med* 178, 2147-56 (1993).
484. Tang, L. & Eaton, J. Natural responses to unnatural materials: A molecular mechanism for foreign body reactions. *Mol Med* 5, 351-8 (1999).
485. Tanuri, A.L. et al. [Retropubic and transobturator sling in treatment of stress urinary incontinence]. *Rev Assoc Med Bras* 56, 348-54 (2010).
486. Taylor, C., Siddiqi, I. & Brody, G. Anaplastic large cell lymphoma occurring in association with breast implants: review of pathologic and immunohistochemical features in 103 cases. *Appl Immunohistochem Mol Morphol* 21, 13-20 (2013).
487. Tcherniakovsky, M., Fernandes, C.E., Bezerra, C.A., Del Roy, C.A. & Wroclawski, E.R. Comparative results of two techniques to treat stress urinary incontinence: synthetic transobturator and aponeurotic slings. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 961-6 (2009).
488. The Federal and Drug Administration. FDA Safety Communication: UPDATE on Serious Complications Associated with transvaginal placement of surgical mesh for pelvic organ prolapse (2011)
489. Thompson, P. & Prince, H. Breast implant-associated anaplastic large cell lymphoma: a systematic review of the literature and mini-meta analysis. *Curr Hematol Malig Rep* 8, 196-210 (2013).
490. Thompson, P. & Prince, H. Breast implant-associated anaplastic large cell lymphoma: a systematic review of the literature and mini-meta analysis. *Curr Hematol Malig Rep* 8, 196-210 (2013).
491. Tjldink, M.M., Vierhout, M.E., Heesakkers, J.P. & Withagen, M.I. Surgical management of mesh-related complications after prior pelvic floor reconstructive surgery with mesh. *Int Urogynecol J* 22, 1395-404 (2011).
492. Tikkinen, K.A. & Auvinen, A. Does the imprecise definition of overactive bladder serve commercial rather than patient interests? *Eur Urol* 61, 746-8; discussion 749-50 (2012).
493. Tinelli, A. et al. Presurgical promestriene therapy in postmenopausal women with stress urinary incontinence. *Gynecol Endocrinol* 23, 445-50 (2007).
494. Tommaselli, G.A. et al. Efficacy and safety of TVT-O and TVT-Secur in the treatment of female stress urinary incontinence: 1-year follow-up. *Int Urogynecol J* 21, 1211-7 (2010).
495. Tommaselli, G.A. et al. Tension-free vaginal tape-O and -Secur for the treatment of stress urinary incontinence: a thirty-six-month follow-up single-blind, double-arm, randomized study. *J Minim Invasive Gynecol* 20, 198-204 (2013).
496. Trabuco, E.C. et al. Medium-term comparison of continence rates after rectus fascia or midurethral sling placement. *Am J Obstet Gynecol* 200, 300 e1-6 (2009).

497. TROYIMOVA N. F., V. V. ZINOV'YEV and V. V. •HARITONOV, KINETIC REGULARITIES OF THE OXIDATIVE DEGRADATION OF SOLID POLYPROPYLENE, Polymer Science U.S.S.R. Vol. 23, No. 5, pp. 1239-1247, 1981
498. Tseng, L.H., Wang, A.C., Lin, Y.H., Li, S.J. & Ko, Y.J. Randomized comparison of the suprapubic arc sling procedure vs tension-free vaginal taping for stress incontinent women. Int Urogynecol J Pelvic Floor Dysfunct 16, 230-5 (2005).
499. Ugurlucan, F.G., Erkan, H.A., Onal, M. & Yalcin, O. Randomized trial of graft materials in transobturator tape operation: biological versus synthetic. Int Urogynecol J 24, 1315-23 (2013).
500. Ulmsten, U. & Petros, P. Intravaginal slingplasty (IVS): an ambulatory surgical procedure for treatment of female urinary incontinence. Scand J Urol Nephrol 29, 75-82 (1995).
501. Urinary Incontinence Treatment, N. The Trial of Mid-Urethral Slings (TOMUS): Design and Methodology. J Appl Res 8 (2008).
502. Usher, F., Cogan, J. & Lowry, T. A new technique for the repair of inguinal and incisional hernias. Arch Surg 81, 847 (1960).
503. Uzzaman, M.M., Ratnasingham, K. & Ashraf, N. Meta-analysis of randomized controlled trials comparing lightweight and heavyweight mesh for Lichtenstein inguinal hernia repair. Hernia 16, 505-18 (2012).
504. Vaginal Placement of Synthetic Mesh for Pelvic Organ Prolapse. ACOG Committee Opinion No. 513. American College of Obstetricians and Gynecologists. Obstet Gynecol 2011; 118(6): 1459-1464.
505. Van Baelen, A.A. & Delaere, K.P. Repeat transobturator tape after failed mid-urethral sling procedure: follow-up with questionnaire-based assessment. Urol Int 83, 399-403 (2009).
506. Van Geelen, J. & Dwyer, P. Where to for pelvic organ prolapse treatment after the FDA pronouncements? A systematic review of the recent literature. Int Urogynecol J 24, 707-18 (2013).
507. Vascellari, M., Melchiotti, E. & Mutinelli, F. Fibrosarcoma with Typical Features of Postinjection Sarcoma at Site of Microchip Implant in a Dog: Histologic and Immunohistochemical Study. Veterinary Pathology Online 43, 545-548 (2006).
508. Verbrugghe, A., De Ridder, D. & Van der Aa, F. A repeat mid-urethral sling as valuable treatment for persistent or recurrent stress urinary incontinence. Int Urogynecol J 24, 999-1004 (2013).
509. Vervest, H., Bongers, M. & van der Wurff, A. Nerve injury: an exceptional cause of pain after TVT. Int Urogynecol J Pelvic Floor Dysfunct. 2006 Nov;17(6):665-7 17, 665-7 (2006).
510. Vollebregt, A., Fischer, K., Gietelink, D., & van der Vaart, C. H. (2011). Primary surgical repair of anterior vaginal prolapse: a randomised trial comparing anatomical and functional outcome between anterior colporrhaphy and trocar-guided transobturator anterior mesh. BJOG, 118(12), 1518-1527. doi: 10.1111/j.1471-0528.2011.03082.x
511. Vollebregt, A., Troelstra, A., & van der Vaart, C. H. (2009). Bacterial colonisation of collagen-coated polypropylene vaginal mesh: are additional intraoperative sterility procedures useful? Int Urogynecol J Pelvic Floor Dysfunct, 20(11), 1345-1351. doi: 10.1007/s00192-009-0951-5
512. Wadie, B.S. & El-Hefnawy, A.S. TVT versus TOT, 2-year prospective randomized study. World J Urol 31, 645-9 (2013).
513. Wadie, B.S., Edwan, A. & Nabeeh, A.M. Autologous fascial sling vs polypropylene tape at short-term followup: a prospective randomized study. J Urol 174, 990-3 (2005).
514. Wadie, B.S., Mansour, A., El-Hefnawy, A.S., Nabeeh, A. & Khair, A.A. Minimum 2-year follow-up of mid-urethral slings, effect on quality of life, incontinence impact and sexual function. Int Urogynecol J 21, 1485-90 (2010).
515. Wall, L. L., & Brown, D. (2010). The perils of commercially driven surgical innovation. Am J Obstet Gynecol, 202(1), 30 e31-34. doi: 10.1016/j.ajog.2009.05.031

516. Waltregny, D. et al. TVT-O for the treatment of female stress urinary incontinence: results of a prospective study after a 3-year minimum follow-up. *Eur Urol* 53, 401-8 (2008).
517. Wang, A., Lee, L., Lin, C. & Chen, J. A histologic and immunohistochemical analysis of defective vaginal healing after continence taping procedures: a prospective case-controlled pilot study. *Am J Obstet Gynecol* 191, 1868-74 (2004).
518. Wang, Y.J. et al. Comparison of three mid-urethral tension-free tapes (TVT, TVT-O, and TVT-Secur) in the treatment of female stress urinary incontinence: 1-year follow-up. *Int Urogynecol J* 22, 1369-74 (2011).
519. Ward, K.L., Hilton, P., Uk & Ireland, T.V.T.T.G. Tension-free vaginal tape versus colposuspension for primary urodynamic stress incontinence: 5-year follow up. *BJOG* 115, 226-33 (2008).
520. Washington, J. L. (2011). Commercial products for pelvic repair. *Female Pelvic Med Reconstr Surg*, 17(5), 218-225. doi: 10.1097/SPV.0b013e31822d407a
521. Weber, A. M., Walters, M. D., Piedmonte, M. R., & Ballard, L. A. (2001). Anterior colporrhaphy: a randomized trial of three surgical techniques. *Am J Obstet Gynecol*, 185(6), 1299-1304; discussion 1304-1296. doi: 10.1067/mob.2001.119081
522. Weinberger, J.M., Purohit, R.S. & Blaivas, J.G. Mesh infection of a male sling. *J Urol* 190, 1054-5 (2013).
523. Welty G, Klinge U, Klosterhalfen B, Kasperk R, Schumpelick V. Functional impairment and complaints following incisional hernia repair with different polypropylene meshes. *Hernia* 2001; 5: 142-147.
524. Wijffels, S.A., Elzevier, H.W. & Lycklama a Nijeholt, A.A. Transurethral mesh resection after urethral erosion of tension-free vaginal tape: report of three cases and review of literature. *Int Urogynecol J Pelvic Floor Dysfunct* 20, 261-3 (2009).
525. Wilty, G., Klinge, U., Klosterhalfen, B., Kasperk, R. & Schumpelick, V. Functional impairment and complaints following incisional hernia repair with different polypropylene meshes. *Hernia* 5, 142-7 (2001).
526. Withagen, M. I., Milani, A. L., den Boon, J., Vervest, H. A., & Vierhout, M. E. (2011). Trocar-guided mesh compared with conventional vaginal repair in recurrent prolapse: a randomized controlled trial. *Obstet Gynecol*, 117(2 Pt 1), 242-250. doi: 10.1097/AOG.0b013e318203e6a5
527. Withagen, M.I. & Milani, A.L. Which factors influenced the result of a tension free vaginal tape operation in a single teaching hospital? *Acta Obstet Gynecol Scand* 86, 1136-9 (2007).
528. Witherspoon, P., Bryson, G., Wright, D., Reid, R. & O'Dwyer, P. Carcinogenic potential of commonly used hernia repair prostheses in an experimental model. *Br J Surg* 91, 368-72 (2004).
529. Wood, A. et al. Materials characterization and histological analysis of explanted polypropylene, PTFE, and PET hernia meshes from an individual patient. *J Mater Sci Mater Med* 24, 1113-22 (2013).
530. Wu, J.Y., He, H.C., Chen, S.W., Jin, X.D. & Zhou, Y.X. Surgical therapies of female stress urinary incontinence: experience in 228 cases. *Int Urogynecol J* 21, 645-9 (2010).
531. Yah, H., et al. SEM Study of Alteration of Meshes Explanted. *IUGA 2007 – Cancun Morphologic Correlation of Functional Abdominal Wall Mechanics After Mesh*
532. Yamada, B., Govier, F., Stefanovic, K. & Kobashi, K. High rate of vaginal erosions associated with the mentor ObTape. *J Urol* 176, 651-4 (2006).
533. Yamada, B.S., Govier, F.E., Stefanovic, K.B. & Kobashi, K.C. Vesicovaginal fistula and mesh erosion after Perigee (transobturator polypropylene mesh anterior repair). *Urology* 68, 1121 e5-7 (2006).

534. Yang, C.H. et al. A retrospective study comparing tension-free vaginal tape and transobturator suburethral tape for surgical treatment of female stress urinary incontinence --- a preliminary report. *J Chin Med Assoc* 70, 541-4 (2007).
535. Yang, X. et al. TVT-O vs. TVT for the treatment of SUI: a non-inferiority study. *Int Urogynecol J* 23, 99-104 (2012).
536. Yazdankhah Kenary, A. et al. Randomized clinical trial comparing lightweight mesh with heavyweight mesh for primary inguinal hernia repair. *Hernia* 17, 471-7 (2013).
537. Yeung, P., Jr., Sokol, A., Walton, B. & Iglesia, C. Thigh abscess mistaken for sarcoma following transobturator tape: a case report and literature review. *J Minim Invasive Gynecol* 14, 657-9 (2007).
538. Yoon, C.J. & Jung, H.C. Three-year outcomes of the innovative replacement of incontinence surgery procedure for treatment of female stress urinary incontinence: comparison with tension-free vaginal tape procedure. *J Korean Med Sci* 22, 497-501 (2007).
539. Youn, C.S., Shin, J.H. & Na, Y.G. Comparison of TOA and TOT for Treating Female Stress Urinary Incontinence: Short-Term Outcomes. *Korean J Urol* 51, 544-9 (2010).
540. Young, N.S., Ioannidis, J.P. & Al-Ubaydli, O. Why current publication practices may distort science. *PLoS Med* 5, e201 (2008).
541. Young, S.B., Howard, A.E. & Baker, S.P. Mersilene mesh sling: short- and long-term clinical and urodynamic outcomes. *Am J Obstet Gynecol* 185, 32-40 (2001).
542. Zorob, D. & Karraam, M. Management of mesh complications and vaginal constriction: a urogynecology perspective. *Urol Clin North Am* 39, 413-8 (2012).
543. Zugor, V. et al. TVT vs. TOT: a comparison in terms of continence results, complications and quality of life after a median follow-up of 48 months. *Int Urol Nephrol* 42, 915-20 (2010).
544. 2010 TVT-O IFU
545. Klinge, U., Otto, J., Mühl, T. *High Structural Stability of Textile Implants Prevents Pore Collapse and Preserves Effective Porosity at Strain*. Biomed Research International. Volume 2015, Article ID 953209
546. Barone, W., Amini, R., Maiti, S., Moalli, P., Abramowitch, S. *The Impact of boundary conditions on surface curvature of polypropylene mesh in response to uniaxial loading*. *Journal of Biomechanics* (2015). <http://dx.doi.org/10.1016/j.jbiomech.2015.02.061>
547. Cobb W, Kercher K, Heniford T. The Argument for Lightweight Polypropylene Mesh in Hernia Repair. *Surgical Innovation*. 2005; 12(1):T1-T7
548. Cobb WS, Burns JM, Peindl RD, Carbonell AM, Matthews BD, Kercher KW, Heniford BT Textile analysis of heavyweight, mid-weight, and lightweight polypropylene mesh in a porcine ventral hernia model. *J Surg Res*. 2006 Nov;136(1):1-7. Epub 2006 Sep 22.
549. Tunn R, Picot A, Marschke J, Gauruder-Burmester A, Sonomorphological evaluation of polypropylene mesh implants after vaginal mesh repair in women with cystocele or rectocele. *Ultrasound Obstet Gynecol*. 2007 Apr;29(4):449-52
550. Velemir L, Amblard J, Fatton B, Savary D, Jacquetin B, Transvaginal mesh repair of anterior and posterior vaginal wall prolapse: a clinical and ultrasonographic study. *Ultrasound Obstet Gynecol* (2010)
551. Letouzey V, Fritel X, Pierre F, Courtieu C, Marès P, de Tayrac R. Informing a patient about surgical treatment for pelvic organ prolapse. *Gynecol Obstet Fertil*. 2010 Apr;38(4):255-60.
552. Rogowski, A., Bienkowski, P., Tosiak, A., Jerzak, M., Mierzejewski, P., Baranowski, W. *mesh retraction correlates with vaginal pain and overactive bladder symptoms after anterior vaginal mesh repair*. *Int Urogynecol J* (2013) 24:2087–2092
553. Mazza, E., Ehret, A. *Mechanical biocompatibility of highly deformable biomedical materials*. *Journal of the Mechanical Behavior of Biomedical Materials*. *Int Urogynecol J* (2013) 24:2087–2092
554. “Mesh shrinkage: How prevent, how to manage?” PowerPoint presentation by L. Velemir, B. Fatton and B. Jacquetin.

555. <http://www.hmcpolymers.com/uploads/files/resources/hmc-pp-chemical-resistance.PDF>
<http://www.gilsoneng.com/reference/ChemRes.pdf>
https://plasticpipe.org/pdf/tr-19_thermoplastic_pipe_for_transport_of_chemical.pdf
<http://www.quickcutgasket.com/pdf/Chemical-Resistance-Chart.pdf>
http://www.reln.com.au/site/DefaultSite/filesystem/documents/PP_Chemical_Resistance.pdf
556. V. V. Iakovlev, S. A. Guelcher, R. Bendavid. In vivo degradation of polypropylene: microscopic analysis of meshes explanted from patients. *Journal of Biomedical Materials Research part B: Applied Biomaterials* 2015; in press
557. J. G. Blaivas, R. S. Purohit, M. S. Benedon, G. Mekel, M. Stern, M. Billah, K. Olugbade, R. Bendavid, V. Iakovlev. Safety considerations for synthetic sling surgery. *Nature Reviews Urology* 2015; in press.
558. de Tayrac R, Letouzey V. Basic science and clinical aspects of mesh infection in pelvic floor reconstructive surgery. *Int Urogynecol J* 2011;22:775–780.
559. European Hernia Symposium Announcement - Berlin, September, 2015
560. Dietz, et al.; Mesh Contraction: myth or reality. *Am J Obstet Gynecol* 2011;204:173.e1-4
561. Lico, et al.; Estimation of Polypropylene Degradation during Recycling Process by Using Vibration Spectroscopy Methods. (2014) ICRAE
562. ETH.MESH.159554738 – Prolene (Polypropylene) Microcracks 1983
563. ETH.MESH.15955440 – Human retrieval Specimens From Dr. Roger Gregory, Norfolk Surgical Group
564. ETH.MESH.15955462 – Examination of Prolene (Polypropylene) Suture from Human Cardiovascular Explants
565. Miao, L., et al. (2015) Physical Characteristics of Medical Textile Prostheses Design for Hernia Repair: A Comprehensive Analysis of Select Commercial Devices. *Materials*. 8148-8168
566. Certificate of Accreditation – St. Michael’s Hospital, Toronto
567. Jefferson, D. N. (1981). Renaut Body Distribution at Sites of Human Peripheral Nerve Entrapment. *Journal of Neurological Sciences*, 49:19-29.
568. Ortman, J. S. (1983). The Experimental Production of Renaut Bodies. *Journal of Neurological Sciences*, 62:233-241.
569. In J. Bilbau, *Biopsy Diagnosis of Peripheral Neuropathy* (p. 477). Springer.
570. Pina-Oviedo, S. D.-H.-H. (2009). Immunohistochemical characterization of Renaut bodies in superficial digital nerves: further evidence supporting their perineurial cell origin. *Journal of the Peripheral Nervous System*, 14:22-26.
571. Li, J., et al; Deterioration of Polypropylene/Silicone Dioxide Nanocomposites Before Oxidative Degradation. *Journal of Applied Polymer Science*, Vol. 113, 601-606 (2009)
572. Cermak, R., et al; Photodegradation of Polypropylene with sobitol-based nucleating agent. *Latest Trends on Engineering Mechanics, structures, engineering geology*.
573. Rolando, Richard; The effects of radiation on polypropylene. (1991) *Tappi Journal*
574. Occhino JA, Casiano ER, Trabuco EC, Klingele CJ. A three-incision approach to treat persistent vaginal exposure and sinus tract formation related to ObTape mesh insertion. *Int Urogynecol J*. 2012 Sep;23(9):1307-9.

575. Lowery WJ, Dooley Y, Kost E. Small-pore polypropylene slings: still out there. *Int Urogynecol J*. 2010 Jan;21(1):125-7.
576. Bazi T. Re: High rate of vaginal erosions associated with the mentor ObTape. *J Urol*. 2007 Feb;177(2):795.
577. Onyeka BA, Ogah J. Vaginal tape erosion following transobturator tape (TOT) operation for stress urinary incontinence. *J Obstet Gynaecol*. 2006 Nov;26(8):802-3.
578. Abdel-Fattah M, Sivanesan K, Ramsay I, Pringle S, Bjornsson S. How common are tape erosions? A comparison of two versions of the transobturator tension-free vaginal tape procedure. *BJU Int*. 2006 Sep;98(3):594-8.
579. Yamada BS, Govier FE, Stefanovic KB, Kobashi KC. High rate of vaginal erosions associated with the mentor ObTape. *J Urol*. 2006 Aug;176(2):651-4.
580. Deval B, Ferchaux J, Berry R, Gambino S, Ciofu C, Rafii A, Haab F. Objective and subjective cure rates after trans-obturator tape (OBTAPe) treatment of female urinary incontinence. *Eur Urol*. 2006 Feb;49(2):373-7.
581. Siegel AL. Vaginal mesh extrusion associated with use of Mentor transobturator sling. *Urology*. 2005 Nov;66(5):995-9.
582. Karp DI, Apostolis C, Lefevre R, Davila GW. Atypical graft infection presenting as a remote draining sinus. *Obstet Gynecol*. 2009 Aug;114(2 Pt 2):443-5.
583. Baessler KI, Hewson AD, Tunn R, Schuessler B, Maher CF. Severe mesh complications following intravaginal slingplasty. *Obstet Gynecol*. 2005 Oct;106(4):713-6.
584. Bafghi AI, Benizri EI, Trastour C, Benizri EJ, Michiels JF, Bongain A. Multifilament polypropylene mesh for urinary incontinence: 10 cases of infections requiring removal of the sling. *BJOG*. 2005 Mar;112(3):376-8.
585. Klinge UI, Junge K, Spellerberg B, Piroth C, Klosterhalfen B, Schumpelick V. Do multifilament alloplastic meshes increase the infection rate? Analysis of the polymeric surface, the bacteria adherence, and the in vivo consequences in a rat model. *J Biomed Mater Res*. 2002;63(6):765-71.
586. Engelsman AF1, van Dam GM, van der Mei HC, Busscher HJ, Ploeg RJ. In vivo evaluation of bacterial infection involving morphologically different surgical meshes. *Ann Surg*. 2010 Jan;251(1):133-7.
587. Engelsman AF1, van der Mei HC, Busscher HJ, Ploeg RJ. Morphological aspects of surgical meshes as a risk factor for bacterial colonization. *Br J Surg*. 2008 Aug;95(8):1051-9.
588. Bendavid R, Lou W, Grischkan D, Koch A, Petersen K, Morrison J, Iakovlev V. A mechanism of mesh-related post-herniorrhaphy neuralgia. *Hernia*. 2015 Nov 23. [Epub ahead of print]
589. Stav K, Dwyer PL. Urinary bladder stones in women. *Obstet Gynecol Surv*. 2012 Nov;67(11):715-25.
590. Simsek A, Ozgor F, Akbulut MF, Sönmezay E, Yuksel B, Sarilar O, Berberoglu AY, Gurbuz ZG. Management of bladder stones associated with foreign bodies following incontinence and contraception surgery. *Arch Ital Urol Androl*. 2014 Jun 30;86(2):108-11.
591. Su YR, Chan PH. Mesh migration into urinary bladder after open ventral herniorrhaphy with mesh: a case report. *Int Surg*. 2014 Jul-Aug;99(4):410-3.
592. Chin K, Ripperda CM, Schaffer JI, Wai CY. Cystolith formation complicating single-incision sling. *Female Pelvic Med Reconstr Surg*. 2014 May-Jun;20(3):177-9.

593. Yoshizawa T, Yamaguchi K, Obinata D, Sato K, Mochida J, Takahashi S. Laparoscopic transvesical removal of erosive mesh after transobturator tape procedure. *Int J Urol*. 2011 Dec;18(12):861-3.
594. Feiner B, Auslender R, Mecz Y, Lissak A, Stein A, Abramov Y. Removal of an eroded transobturator tape from the bladder using laser cystolithotripsy and cystoscopic resection. *Urology*. 2009 Mar;73(3):681.e15-6.
595. Nygaard IE, McCreery R, Brubaker L, Connolly A, Cundiff G, Weber AM, Zyczynski H; Pelvic Floor Disorders Network. Abdominal sacrocolpopexy: a comprehensive review. *Obstet Gynecol*. 2004;104(4):805-23.
596. Barnes MG. Irritable bowel syndrome: a "mesh" of a situation. *J Am Board Fam Med*. 2012;25(1):120-3.
597. Chen MJ, Tian YF. Intraperitoneal migration of a mesh plug with a small intestinal perforation: report of a case. *Surg Today*. 2010;40(6):566-8.
598. Lo DJ1, Bilimoria KY, Pugh CM. Bowel complications after prolene hernia system (PHS) repair: a case report and review of the literature. *Hernia*. 2008;12(4):437-40.
599. Ojo P1, Abenthroth A, Fiedler P, Yavorek G. Migrating mesh mimicking colonic malignancy. *Am Surg*. 2006;72(12):1210-1.
600. Ferrone R, Scarone PC, Natalini G. Late complication of open inguinal hernia repair: small bowel obstruction caused by intraperitoneal mesh migration. *Hernia*. 2003;7(3):161-2.
601. Chuback JA, Singh RS, Sills C, Dick LS. Small bowel obstruction resulting from mesh plug migration after open inguinal hernia repair. *Surgery*. 2000;127(4):475-6.